



Boundless Creativity for a Sustainable World

SATO PRICELIST EUROPE




PRINTER & PRINTER OPTIONS

OTHER ACCESSORIES

SOFTWARE

PRINTHEADS / PLATEN ROLLER

SATO PRESTIGE SERVICE PROGRAM



SAP® Certified
Integration with SAP Applications

Microsoft
BizTalk® Server 2006 **R2**

Version 4.6



Introducing the SATO CL6NX Series



We are pleased to advise that the SATO CL6NX Series is now available and is included in this product price list.

Building on the outstanding success of the CL4NX Series, the SATO NX family of revolutionary desktop industrial printers is now complete.



We encourage you to consider the new CL6NX for your 6" width applications.

Built to feature our advanced technologies and upon our commitment to reliability, the new CL6NX is engineered for ultimate user-friendly operability and maintainability, and is skillfully crafted to support new and legacy printing applications across a wide array of verticals.

Yours Sincerely,

Tetsushi Kondo
Managing Director
SATO INTERNATIONAL EUROPE N.V.

Version 4.6



SATO PRICELIST EUROPE



PRINTER & PRINTER OPTIONS

OTHER ACCESSORIES

SOFTWARE

PRINTHEADS / PLATEN ROLLER

LABELS / TAGS / RIBBONS

SATO PRESTIGE SERVICE PROGRAM

..... MB200i / MB201i / Industrial
MB400i / MB410i / Industrial
CG2 / CG4
TH2
CT408i / CT412i / CT424i
CL4NX
CL6NX **NEW**
GZ408e / GZ412e
CL408e / CL412e
CL608e / CL612e
GT408e / GT412e / GT424e
M10e
M84Pro
DR308e
TG3
S84-ex / S86-ex **NEW**
LT408
M84...Se
S8408 / S8412 / S8424



Version 4.6



MB200i / MB201i



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	103 mm (4,0")
Print Width	48 mm (1,89")
Print Length	160 mm (6,3")
Processor	32-bit RISC
Controls	3-button panel; LCD display (LCD on WLAN models)
Outer Label Diameter	MB200i: 67 mm, MB201i: 58 mm
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, IrDA, (Option: BT; WLAN)
Dimensions (H x W x D)	MB200i: 73 mm x 88 mm x 128 mm
Dimensions (H x W x D)	MB201i: 64 mm x 88 mm x 119 mm
Weight	MB200i: 405 g, MB201i: 390 g (with battery installed)



Outer Label Diameter 67mm	Outer Label Diameter 58mm	Serial IF	IrDA IF	Bluetooth	WLAN	Display	Linerless
---------------------------	---------------------------	-----------	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB200i (incl. battery)	755,00 €	WWMB20000	•	•	•	•	•	•
MB200i BT V2.0 (incl. battery)	885,00 €	WWMB23070	•	•	•	•	•	•
MB200i W/L (incl. battery) with LCD	1.085,00 €	WWMB13080	•	•	•	•	•	•
MB201i (incl. battery)	755,00 €	WWMB21000	•	•	•	•	•	•
MB201i BT (incl. battery)	885,00 €	WWMB27070 (BT V2.0)	•	•	•	•	•	•
MB201i W/L (incl. battery) with LCD	1.085,00 €	WWMB1708	•	•	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide (English)
Battery
Metal Belt Clip

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



MB200i (INDUSTRIAL VERSION)



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	103 mm (4,0")
Print Width	48 mm (1,89")
Print Length	160 mm (6,3")
Processor	32-bit RISC
Controls	3-button panel; LCD display (LCD on WLAN models)
Outer Label Diameter	MB200i: 67 mm, MB201i: 58 mm
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, IrDA, (Option: BT; WLAN)
Dimensions (H x W x D)	MB200i: 73 mm x 88 mm x 128 mm
Dimensions (H x W x D)	MB201i: 64 mm x 88 mm x 119 mm
Weight	MB200i: 405 g, MB201i: 390 g (with battery installed)

Outer Label Diameter 67mm	Outer Label Diameter 58mm	Serial IF	IrDA IF	Bluetooth	WLAN	Display	Linerless
---------------------------	---------------------------	-----------	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB200i (incl. battery) with Rubber Boot	795,00 €	WWMB22000	•	•	•		•
MB200i BT V2.0 (incl. battery) with Rubber Boot	925,00 €	WWMB29070	•	•	•	•	•
MB200i W/L (incl. battery) with Rubber Boot	1.125,00 €	WWMB14080	•	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide (English)
Battery
Metal Belt Clip

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



MB200i / MB201i PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Battery MB2xxi
Note: one battery already comes with printer as standard

90,00 €

WWMB25100



Battery Charger 1-Slot MB2xxi

135,00 €

WWMB25202



Battery Charger 5-Slot MB2xxi

660,00 €

WMB205942



AC Adapter MB2xxi EX2 with Energy Star Level 5
To operate printer without battery or to charge battery inside the printer

175,00 €

WWMB25322



D-Sub 9pin Cable
(required for firmware downloads)

65,00 €

YC3008549



MB2xxi 12V cable for cigarette lighter
(min. order qty: 100 pcs)

79,00 €

Y10160100028



MB200i / MB201i PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

One Touch Belt Hook MB200i

18,00 €

WPT205701



Shoulder Belt MB2xxi

36,00 €

WMB205970



Shoulder Case with Cover
(IP54 protection for MB2xxi)

115,00 €

WPT205704



MB400i



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	up to 103 mm (4,0")
Print Width	up to 104 mm (4,09")
Print Length	297 mm (11,7")
Memory	
Controls	3-button panel (LCD on WLAN models)
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, USB, IrDA (Option: Bluetooth, WLAN 802.11b/g)
Dimensions (H x W x D)	134 mm x 170 mm x 76 mm
Weight	750 g (with battery)

Resolution 203 dpi	Resolution 305 dpi	Serial IF	USB	IrDA IF	Bluetooth	WLAN	Display	Linerless
--------------------	--------------------	-----------	-----	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB400i (incl. battery)	865,00 €	WMB410000	•	•	•	•			•
MB400i BT (incl. battery) Bluetooth v.2.0	995,00 €	WWMB42070 (BT V2.0)	•	•	•	•	•		•
MB400i W/L (incl. battery)	1.195,00 €	WWMB53080	•	•	•	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



MB400i (INDUSTRIAL VERSION)



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	up to 103 mm (4,0")
Print Width	up to 104 mm (4,09")
Print Length	297 mm (11,7")
Memory	
Controls	3-button panel (LCD on WLAN models)
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, USB, IrDA (Option: Bluetooth, WLAN 802.11b/g)
Dimensions (H x W x D)	134 mm x 170 mm x 76 mm
Weight	750 g (with battery)

Resolution 203 dpi	Resolution 305 dpi	Serial IF	USB	IrDA IF	Bluetooth	WLAN	Display	Linerless
--------------------	--------------------	-----------	-----	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB400i (incl. battery) with Rubber Boot	935,00 €	WWMB51000	•	•	•	•			•
MB400i BT (incl. battery) with Rubber Boot	1.065,00 €	WWMB44070 (BT V2.0)	•	•	•	•	•		•
MB400i W/L (incl. battery) with Rubber Boot	1.265,00 €	WWMB54080	•	•	•	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



MB410i



PRINTER SPECIFICATIONS

Resolution	305 dpi
Print Speed	up to 103 mm (4,0")
Print Width	up to 104 mm (4,09")
Print Length	297 mm (11,7")
Memory	
Controls	3-button panel (LCD on WLAN models)
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, USB, IrDA (Option: Bluetooth, WLAN 802.11b/g)
Dimensions (H x W x D)	134 mm x 170 mm x 76 mm
Weight	750 g (with battery)

Resolution 203 dpi	Resolution 305 dpi	Serial IF	USB	IrDA IF	Bluetooth	WLAN	Display	Linerless
--------------------	--------------------	-----------	-----	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB410i (incl. battery)	900,00 €	WMB420000		•	•	•	•			•
MB410i BT (incl. battery) v.2.0	1.120,00 €	WWMB43070		•	•	•	•	•		•
MB410i W/L (incl. battery)	1.320,00 €	WWMB63080		•	•	•	•		•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



MB410i (INDUSTRIAL VERSION)



PRINTER SPECIFICATIONS

Resolution	305 dpi
Print Speed	up to 103 mm (4,0")
Print Width	up to 104 mm (4,09")
Print Length	297 mm (11,7")
Memory	
Controls	3-button panel (LCD on WLAN models)
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, USB, IrDA (Option: Bluetooth, WLAN 802.11b/g)
Dimensions (H x W x D)	134 mm x 170 mm x 76 mm
Weight	750 g (with battery)

Resolution 203 dpi	Resolution 305 dpi	Serial IF	USB	IrDA IF	Bluetooth	WLAN	Display	Linerless
--------------------	--------------------	-----------	-----	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB410i (incl. battery) with Rubber Boot	1.060,00 €	WWMB61000		•	•	•	•			•
MB410i BT V2.0 (incl. battery) with Rubber Boot	1.190,00 €	WWMB46070		•	•	•	•	•		•
MB410i W/L (incl. battery) with Rubber Boot	1.390,00 €	WWMB64080		•	•	•	•		•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



MB400i / MB410i PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Battery MB4i/TH2

160,00 €

WMB405970



Battery Charger 1-Slot for MB4xxi & TH2 EX2 with Energy Star Level 4

185,00 €

WWMB45202



AC Adapter
To operate printer without battery or to charge battery inside the printer

110,00 €

WWMB45302



D-Sub 9pin Cable
(Printer can also be operated via mini USB)

65,00 €

YC3006234

MB400i / MB410i PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Shoulder Belt MB4xxi

36,00 €

WMB205970



Leather Carrying Bag

120,00 €

WWMB45520



Water Proof Case (with Cover)
(IP54 protection for MB4xxi)

125,00 €

WWMB45500



CG2



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	56 mm (2,20")
Print Length	up to 600 mm (23,60")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 128 mm x 235 mm
Weight	TT model 1,6 kg / DT model 1,5 kg



Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and LAN	RFID HF option	Direct Thermal	Thermal Transfer	Antibacterial housing	Optional interfaces
--------------------	--------------------	----------------	-------------	----------------	----------------	------------------	-----------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

CG208TT USB + RS-232C with RoHS EX2	450,00 €	WWCG20032	•	•	•	•	•	•
CG208TT USB + LAN with RoHS EX2	580,00 €	WWCG20042	•		•	•	•	•
CG212TT USB + RS-232C with RoHS EX2	600,00 €	WWCG30032		•	•	•	•	•
CG212TT USB + LAN with RoHS EX2	730,00 €	WWCG30042		•	•	•	•	•
CG208DT USB + RS-232C with RoHS EX2	385,00 €	WWCG40032	•	•	•	•	•	•
CG208DT USB + LAN with RoHS EX2	515,00 €	WWCG40042	•		•	•	•	•
CG212DT USB + RS-232C with RoHS EX2	535,00 €	WWCG50032		•	•	•	•	•
CG212DT USB + LAN with RoHS EX2	665,00 €	WWCG50042		•	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Start Guide (EN, GER),
External power supply

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



CG2 ACCESSORIES



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Stacker of DR3 (white color and works for CG2)	88,00 €	WWDR35600
Dispenser With RoHS for CG2 (No liner rewind)	123,00 €	WWCG25200
Cutter With RoHS for CG2 (Guillotine)	155,00 €	WWCG25100
Ribbon Core Adapter for CG2	12,00 €	WWEV25980
SATO Keypad (Only for USB/RS 232 Model)	305,00 €	WWDR35500

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Keypad (Only for USB/RS232 Model)	305,00 €	WWDR35500
SanDisk SD card 2 GB Ultra II	49,00 €	Y98122050002

Note: Keypad supports SD Card up to 2 GB.
Not all manufacturers supported.
Recommended Card: SanDisk

Continuing on next page.

CG2 ACCESSORIES




PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

METO 8200 replacement:

The original Meto 8200 Label rolls will not fit in CG2 printer, therefore you need a unwinder.



SATO Unwinder JP (Passive & plastic)
CT4i/CG2 Unwinder

210,00 €

WWCT45400

SATO Unwinder JP (Passive & plastic)
CG2 Joint Plate (metal)

30,00 €

WWCG25900



RFID

CG2 >HF<

Standard: ISO/IEC 15693 · Frequency: 13,56 MHz



RFID SPECIFICATIONS


Transponder:	NXP	I-code SLI	112 bytes
	TI	Tag-it HF-I	256 bytes
	Infineon	My-d	992 bytes

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - UID reading and printing as text and Barcode



PRINTER SPECIFICATIONS

Resolution	203 / 305 dpi (8/12 dots/mm)
Print Speed	100 mm (4,00")
Print Width	56 mm (2,20")
Print Length	up to 600 / 400 mm (23,60")
Memory	8 MB RAM, 4 MB Flash
Controls	2-button panel
Cabinet	Plastic Clamshell design Antibacterial cover tested according to JIS Z2801
Interfaces	USB + RS232C or USB + LAN
Emulation	ZPL, EPL
Dimensions (H x W x D)	173 mm x 128 mm x 235 mm
Weight	1,6 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
CG208 TT HF (RFID) USB + RS-232C	1.070,00 €	WWCG20T32	•		•		•	•
CG208 TT HF (RFID) USB + LAN	1.200,00 €	WWCG20T42	•		•		•	•
CG212 TT HF (RFID) USB + RS-232C	1.220,00 €	WWCG30T32		•	•		•	•
CG212 TT HF (RFID) USB + LAN	1.350,00 €	WWCG30T42		•	•		•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Start Guide (EN, GER),
External power supply

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



www.satoeurope.com



CG4



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	104 mm (4,1")
Print Length	up to 300 mm (11,81")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model, USB + IEEE1284 model *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 179 mm x 238 mm
Weight	TT model 1,9 kg / DT model 1,7 kg

Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and IEEE	USB and LAN	Direct Thermal	Thermal Transfer	Optional Interfaces
--------------------	--------------------	----------------	--------------	-------------	----------------	------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

CG408TT USB + RS-232C with RoHS EX2	510,00 €	WWCG18032	•	•			•	•
CG408TT USB + IEEE with RoHS EX2	540,00 €	WWCG18062	•		•		•	•
CG408TT USB + LAN with RoHS EX2	640,00 €	WWCG18042	•			•	•	•
CG412TT USB + RS-232C with RoHS EX2	660,00 €	WWCG22032		•	•		•	•
CG412TT USB + IEEE with RoHS EX2	690,00 €	WWCG22062		•	•		•	•
CG412TT USB + LAN with RoHS EX2	790,00 €	WWCG22042		•		•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER),
External power supply

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



CG4



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	104 mm (4,1")
Print Length	up to 300 mm (11,81")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model, USB + IEEE1284 model *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 179 mm x 238 mm
Weight	TT model 1,9 kg / DT model 1,7 kg



Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and IEEE	USB and LAN	Direct Thermal	Thermal Transfer	Optional Interfaces
--------------------	--------------------	----------------	--------------	-------------	----------------	------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

CG408DT USB + RS-232C with RoHS EX2	430,00 €	WWCG08032	•	•		•	•
CG408DT USB + IEEE with RoHS EX2	460,00 €	WWCG08062	•		•	•	•
CG408DT USB + LAN with RoHS EX2	560,00 €	WWCG08042	•			•	•
CG412DT USB + RS-232C with RoHS EX2	580,00 €	WWCG12032		•	•	•	•
CG412DT USB + IEEE with RoHS EX2	610,00 €	WWCG12062		•	•	•	•
CG412DT USB + LAN with RoHS EX2	710,00 €	WWCG12042		•		•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER),
External power supply

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



CG4 EPL (Eltron) + SBPL (SATO) auto emulation



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	104 mm (4,1")
Print Length	up to 300 mm (11,81")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model, USB + IEEE1284 model *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 179 mm x 238 mm
Weight	TT model 1,9 kg / DT model 1,7 kg

Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and IEEE	USB and LAN	Direct Thermal	Thermal Transfer	Optional Interfaces
--------------------	--------------------	----------------	--------------	-------------	----------------	------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

EPL + SBPL emulation CG408DT - USB + RS232 Printer with RoHS EX2	430,00 €	WWCG08032E	•	•		•	•
EPL + SBPL emulation CG408DT - USB + IEEE Printer with RoHS EX2	460,00 €	WWCG08062E	•		•	•	•
EPL + SBPL emulation CG408DT - USB + LAN Printer with RoHS EX2	560,00 €	WWCG08042E	•		•	•	•
EPL + SBPL emulation CG408TT - USB + RS232 Printer with RoHS EX2	510,00 €	WWCG18032E	•	•		•	•
EPL + SBPL emulation CG408TT - USB + IEEE Printer with RoHS EX2	540,00 €	WWCG18062E	•		•	•	•
EPL + SBPL emulation CG408TT - USB + LAN Printer with RoHS EX2	640,00 €	WWCG18042E	•		•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Start Guide (EN, GER),
External power supply

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



CG4 ZPL (Zebra) + SBPL (SATO) auto emulation



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	104 mm (4,1")
Print Length	up to 300 mm (11,81")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model, USB + IEEE1284 model *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 179 mm x 238 mm
Weight	TT model 1,9 kg / DT model 1,7 kg

Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and IEEE	USB and LAN	Direct Thermal	Thermal Transfer	Optional Interfaces
--------------------	--------------------	----------------	--------------	-------------	----------------	------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

ZPL + SBPL emulation CG408DT - USB + RS232 Printer with RoHS EX2	430,00 €	WWCG08032Z	•	•		•	•
ZPL + SBPL emulation CG408DT - USB + IEEE Printer with RoHS EX2	460,00 €	WWCG08062Z	•		•	•	•
ZPL + SBPL emulation CG408DT - USB + LAN Printer with RoHS EX2	560,00 €	WWCG08042Z	•		•	•	•
ZPL + SBPL emulation CG408TT - USB + RS232 Printer with RoHS EX2	510,00 €	WWCG18032Z	•	•		•	•
ZPL + SBPL emulation CG408TT - USB + IEEE Printer with RoHS EX2	540,00 €	WWCG18062Z	•		•	•	•
ZPL + SBPL emulation CG408TT - USB + LAN Printer with RoHS EX2	640,00 €	WWCG18042Z	•		•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Start Guide (EN, GER),
External power supply

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



CG4 ACCESSORIES



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Cutter With RoHS for CG4 (Guillotine)	155,00 €	WWCG05100
Dispenser With RoHS for CG4 (No liner rewind)	123,00 €	WWCG05200
Real Time Clock for CG4	67,00 €	WWCG05990
Optional Bluetooth interface for CG4* *only for USB + RS-232C printer model Requires: 9Pin Gender Changer	240,00 €	please call
Keypad	305,00 €	WWDR35500
SanDisk SD card 2 GB Ultra II	49,00 €	Y98122050002

Note: Keypad supports SD Card up to 2GB.
Not all manufacturers supported.
Recommended Card: SanDisk

TH2



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	100 mm (4,00")
Print Width	56 mm (2,20")
Print Length	up to 156 mm (6,14")
Memory	12 MB Flash, 8 MB SDRAM
Controls	LCD display
Cabinet	anti-microbial plastic
Interfaces	USB Version 2.0 Compliance (Full speed). Communication Class Device ("COM"-port), keyboard, scanner and terminal supported by PS2. LAN interface, SD memory card
Dimensions (H x W x D)	147 mm x 132 mm x 194 mm
Weight	1,7 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS		
TH208 USB	995,00 €	WWTH20022	•		
TH208 USB and LAN	1.245,00 €	WWTH20042		•	
TH208 WLAN	1.545,00 €	WWTH21082			•

SATO Prestige Service Program can be found on the last page of this pricelist.

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER),
External power supply

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



TH2 ACCESSORIES



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Wall Mount Kit for TH2

110,00 €

WWTH25930

Keypad Cover for TH2 anti microbial (3 pieces)

45,00 €

Y99122120003

Cutter for TH2
(Guillotine)

150,00 €

WWTH25100

Battery TH2/MB4i

160,00 €

WMB405970

Battery Charger 1-Slot for MB4xxi &
TH2 EX2 with Energy Star Level 4

185,00 €

WWMB45202

Core Guide TH2

2,00 €

P28143010

CT408i / CT412i / CT424i



PRINTER SPECIFICATIONS

Resolution	CT408i: 203 dpi / CT412i: 305 dpi CT424i 600 dpi
Print Speed	CT408i: up to 150 mm (6,0") CT412i: up to 102 mm (4,0") CT424i: up to 76 mm (3,0")
Print Width	104 mm (4,1")
Print Length	400 mm (15,7")
Memory	16 MB SDRAM; 4 MB Flash
Controls	2-button panel
Cabinet	Plastic Clamshell design Antibacterial cover tested according to JIS Z2801
Interfaces	Type 1: USB 2.0 & RS232C Type 2: USB 2.0 & LAN
Dimensions (H x W x D)	181 mm x 198 mm x 225 mm
Weight	3 kg

Resolution 203 dpi	Resolution 305 dpi	Resolution 600 dpi	Direct Thermal	Thermal Transfer	USB2.0 + RS232C	USB2.0 + LAN	Antibacterial housing	Optional Interfaces
--------------------	--------------------	--------------------	----------------	------------------	-----------------	--------------	-----------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

CT408iDT USB+RS232C	865,00 €	WWCT50032	•		•	•	•	•
CT408iTT USB+RS232C	965,00 €	WWCT53032	•		•	•	•	•
CT408iDT USB+LAN	895,00 €	WWCT50042	•		•		•	•
CT408iTT USB+LAN	995,00 €	WWCT53042	•		•		•	•
CT412iDT USB+RS232C	1.015,00 €	WWCT51032		•	•	•	•	•
CT412iTT USB+RS232C	1.115,00 €	WWCT54032		•	•	•	•	•
CT412iDT USB+LAN	1.045,00 €	WWCT51042		•	•		•	•
CT412iTT USB+LAN	1.145,00 €	WWCT54042		•	•		•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

External Power Supply
Quick Start Guide (Eng/Ger)
TT printers: 2 x Ribbon Core adapter

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6





Resolution	CT408i: 203 dpi / CT412i: 305 dpi CT424i: 600 dpi
Print Speed	CT408i: up to 150 mm (6,0") CT412i: up to 102 mm (4,0") CT424i: up to 76 mm (3,0")
Print Width	104 mm (4,1")
Print Length	400 mm (15,7")
Memory	16 MB SDRAM; 4 MB Flash
Controls	2-button panel
Cabinet	Plastic Clamshell design Antibacterial cover tested according to JIS Z2801
Interfaces	Type 1: USB 2.0 & RS232C Type 2: USB 2.0 & LAN
Dimensions (H x W x D)	181 mm x 198 mm x 225 mm
Weight	3 kg

Resolution 203 dpi
Resolution 305 dpi
Resolution 600 dpi
Direct Thermal
Thermal Transfer
USB2.0 + RS232C
USB2.0 + LAN
Antibacterial housing
Optional interfaces

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS									
CT424iDT USB+RS232C	1.295,00 €	WWCT52032				•	•		•		•	•
CT424iTT USB+RS232C	1.495,00 €	WWCT55032				•		•	•		•	•
CT424iDT USB+LAN	1.445,00 €	WWCT52042				•	•			•	•	
CT424iTT USB+LAN	1.595,00 €	WWCT55042				•		•		•	•	

SATO Prestige Service Program can be found on the last page of this pricelist.

External Power Supply
Quick Start Guide (Eng/Ger)
TT printers: 2 x Ribbon Core adapter

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



CT408i / CT412i / CT424i PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Optional Plug-In Interfaces - for CT4i type 1 [USB/RS2323] only

Parallel IEEE1284

75,00 €

WWCT45060

Bluetooth Interface

225,00 €

WWCT55070

Wireless Mini-LAN

575,00 €

WWCT45082

Dispenser Kit for CT4xxi
(No rewind liner)

135,00 €

WWCT55200

Cutter Kit for CT4xxi TT
(Guillotine)

185,00 €

WWR505100

Cutter Kit for CT4xxi DT
(Guillotine)

185,00 €

WWT505100



RFID

CT408i

Standard: ISO/IEC 15693 · Frequency: 13,56 MHz



RFID SPECIFICATIONS


Transponder:	NXP	I-code SLI	112 bytes
	TI	Tag-it HF-I	256 bytes
	Infineon	My-d	992 bytes

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - UID reading and printing as text and Barcode



PRINTER SPECIFICATIONS

Resolution	203 / 305 dpi (8 / 12 dots/mm)
Print Speed	up to 150 mm (6,0")
Print Width	104 mm (4,1")
Print Length	400 mm (15,7")
Memory	16 MB SDRAM; 4 MB Flash
Controls	2-button panel
Cabinet	Plastic Clamshell design Antibacterial cover tested according to JIS Z2801
Interfaces	USB 2.0 & RS232C
Dimensions (H x W x D)	181 mm x 198 mm x 225 mm
Weight	3 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
CT408i TT HF (RFID) USB + RS232C	1.795,00 €	Y58169229073	•		•		•	•
CT408i TT HF (RFID) USB + LAN	1.825,00 €	Y58169229074	•		•		•	•
CT412i TT HF (RFID) USB + RS232C	1.945,00 €	Y58169229075		•	•		•	•
CT412i TT HF (RFID) USB + LAN	1.975,00 €	Y58169229076		•	•		•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

External Power Supply,
Quick Start Guide (Eng/Ger),
TT orinter: 2 x Ribbon Core adapter

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



www.satoeurope.com



CL4NX series EU



PRINTER SPECIFICATIONS

Print Speed	254 mm (10")
Print Width	104 mm (4,1")
Print Length	2500 mm (203 dpi) / 1500 mm (305 dpi) / 400 mm (609 dpi)
Memory	256 MB RAM; 2 GB ROM
Controls	Multifunction LCD Display Panel
Cabinet	Metal, ALUMINIUM DIE-CAST
Interfaces (Standard)	USB 2.0 type B, USB 2.0 type A (2 port), RS-232C, IEEE1284, LAN, Bluetooth 3.0
EXT Interfaces (Optional)	WLAN (Wifi Certified and CCX Certified) 802.11 a/b/g/n, Dual band (2.4 Ghz, 5Ghz)
Emulations	Auto detect - SZPL, SDPL, SIPL or STCL
Dimensions (H x W x D)	321 mm x 271 mm x 457 mm
Weight	15 kg

Resolution (interchangeable) 203 dpi
Resolution (interchangeable) 305 dpi
Resolution (interchangeable) 609 dpi
Multi Interface
Dispenser
Metal Cover
Cutter

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS						
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--	--

EU power cable									
CL4NX 203dpi	1.495,00 €	WWCL00060EU	•			•		•	•
CL4NX 305dpi	1.795,00 €	WWCL20060EU		•		•		•	•
CL4NX 609dpi	2.895,00 €	WWCL30060EU			•	•		•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide
EU power cable

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



CL4NX versions EU



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

CL4NX with Cutter and EU power cable

CL4NX 203 dpi with Cutter (Guillotine)

1.975,00 €

WWCL00160EU

CL4NX 305 dpi with Cutter (Guillotine)

2.275,00 €

WWCL20160EU

CL4NX 609 dpi with Cutter (Guillotine)

3.375,00 €

WWCL30160EU

CL4NX with Dispenser, Real Time Clock and EU power cable

CL4NX 203 dpi with Dispenser (incl. Liner rewinder and RTC)

1.750,00 €

WWCL00260EU

CL4NX 305 dpi with Dispenser (incl. Liner rewinder and RTC)

2.050,00 €

WWCL20260EU

CL4NX 609 dpi with Dispenser (incl. Liner rewinder and RTC)

3.150,00 €

WWCL30260EU

CL4NX with UHF Rfid, Real Time Clock and EU cable

CL4NX 203 dpi with UHF RFID and RTC

2.995,00 €

WWCL06060EU

CL4NX 305 dpi with UHF RFID and RTC

3.295,00 €

WWCL26060EU

CL4NX 609 dpi with UHF RFID and RTC

4.395,00 €

WWCL36060EU

Additional CL4NX configurations are available on request. Please contact your local SATO office for more information.

CL4NX versions EU


**PRODUCT
DESCRIPTION**
LIST PRICE
**PROD. CODE ROHS /
SATO PROD. CODE**
CL4NX with Real Time Clock and EU power cable

CL4NX 203 dpi with RTC	1.585,00 €	WWCL02060EU
CL4NX 305 dpi with RTC	1.885,00 €	WWCL22060EU
CL4NX 609 dpi with RTC	2.985,00 €	WWCL32060EU

CL4NX with Wireless Lan Interface and EU cable

CL4NX 203 dpi with Wireless Lan	1.795,00 €	WWCL03080EU
CL4NX 305 dpi with Wireless Lan	2.095,00 €	WWCL23080EU
CL4NX 609 dpi with Wireless Lan	3.195,00 €	WWCL33080EU

CL4NX with Linerless kit and EU cable

CL4NX 203 dpi with Linerless kit	2.145,00 €	*please call
CL4NX 305 dpi with Linerless kit	2.445,00 €	*please call
CL4NX 609 dpi with Linerless kit	3.545,00 €	*please call

Additional CL4NX configurations are available on request. Please contact your local SATO office for more information.

* The Linerless kit requires media matching tests. Please contact your local SATO office for more information.

CL4NX series UK



PRINTER SPECIFICATIONS

Print Speed	254 mm (10")
Print Width	104 mm (4,1")
Print Length	2500 mm (203 dpi) / 1500 mm (305 dpi) / 400 mm (609 dpi)
Memory	256 MB RAM; 2 GB ROM
Controls	Multifunction LCD Display Panel
Cabinet	Metal, ALUMINIUM DIE-CAST
Interfaces (Standard)	USB 2.0 type B, USB 2.0 type A (2 port), RS-232C, IEEE1284, LAN, Bluetooth 3.0
EXT Interfaces (Optional)	WLAN (Wifi Certified and CCX Certified) 802.11 a/b/g/n, Dual band (2.4 Ghz,5Ghz)
Emulations	Auto detect - SZPL, SDPL, SIPL or STCL
Dimensions (H x W x D)	321 mm x 271 mm x 457 mm
Weight	15 kg

Resolution (interchangeable) 203 dpi
Resolution (interchangeable) 305 dpi
Resolution (interchangeable) 609 dpi
Multi Interface
Dispenser
Metal Cover

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS
---------	------------	-----------------------------------	-----------------------------

UK power cable			
CL4NX 203dpi	1.495,00 €	WWCL00060UK	• • •
CL4NX 305dpi	1.795,00 €	WWCL20060UK	• • •
CL4NX 609dpi	2.895,00 €	WWCL30040UK	• • •

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide
UK power cable

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



CL4NX versions UK


**PRODUCT
DESCRIPTION**
LIST PRICE
**PROD. CODE ROHS /
SATO PROD. CODE**
CL4NX with Cutter and UK power cable

CL4NX 203 dpi with Cutter (Guillotine)

1.975,00 €

WWCL00160UK

CL4NX 305 dpi with Cutter (Guillotine)

2.275,00 €

WWCL20160UK

CL4NX 609 dpi with Cutter (Guillotine)

3.375,00 €

WWCL30160UK

CL4NX with Dispenser, Real Time Clock and UK power cable

CL4NX 203 dpi with Dispenser (incl. Liner rewinder and RTC)

1.750,00 €

WWCL00260UK

CL4NX 305 dpi with Dispenser (incl. Liner rewinder and RTC)

2.050,00 €

WWCL20260UK

CL4NX 609 dpi with Dispenser (incl. Liner rewinder and RTC)

3.150,00 €

WWCL30260UK

CL4NX with UHF Rfid, Real Time Clock and UK cable

CL4NX 203 dpi with UHF RFID and RTC

2.995,00 €

WWCL06060UK

CL4NX 305 dpi with UHF RFID and RTC

3.295,00 €

WWCL26060UK

CL4NX 609 dpi with UHF RFID and RTC

4.395,00 €

WWCL36060UK

Additional CL4NX configurations are available on request. Please contact your local SATO office for more information.

CL4NX versions UK


**PRODUCT
DESCRIPTION**
LIST PRICE
**PROD. CODE ROHS /
SATO PROD. CODE**
CL4NX with Real Time Clock and UK power cable

CL4NX 203 dpi with RTC	1.585,00 €	WWCL02060UK
CL4NX 305 dpi with RTC	1.885,00 €	WWCL22060UK
CL4NX 609 dpi with RTC	2.985,00 €	WWCL32060UK

CL4NX with Wireless Lan Interface and UK cable

CL4NX 203 dpi with Wireless Lan	1.795,00 €	WWCL03080UK
CL4NX 305 dpi with Wireless Lan	2.095,00 €	WWCL23080UK
CL4NX 609 dpi with Wireless Lan	3.195,00 €	WWCL33080UK

CL4NX with Linerless kit and UK cable

CL4NX 203 dpi with Linerless kit	2.145,00 €	*please call
CL4NX 305 dpi with Linerless kit	2.445,00 €	*please call
CL4NX 609 dpi with Linerless kit	3.545,00 €	*please call

Additional CL4NX configurations are available on request. Please contact your local SATO office for more information.

* The Linerless kit requires media matching tests. Please contact your local SATO office for more information

CL4NX PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Cutter for CL4NX (Guillotine)	480,00 €	WWCL05100
Internal Dispenser for CL4NX (Incl. Liner rewinder and real time clock)	480,00 €	WWCL05200
Real Time Clock for CL4NX	90,00 €	WWCL05900
Internal WLAN interface for CL4NX 802.11a/b/g/n	300,00 €	WWCL05080
RFID kit UHF for CL4NX (Incl. real time clock)	1.500,00 €	Please ask
Linerless kit for CL4NX	650,00 €	Please ask

* The Linerless kit requires media matching tests. Please contact your local SATO office for more information

CL6NX series EU



PRINTER SPECIFICATIONS

Print Speed	254mm (10")
Print Width	167.5 mm (6.5")
Print Length	2500 mm (203 dpi) / 1500 mm (305 dpi)
Memory	256 MB RAM; 2 GB ROM
Controls	Multifunction LCD Display Panel
Cabinet	Metal, ALUMINIUM DIE-CAST
Interfaces (Standard)	USB 2.0 type B, USB 2.0 type A, (2 port), RS-232C, IEEE1284, LAN, Bluetooth 3.0
EXT Interfaces (Optional)	WLAN (Wifi Certified and CCX Certified) 802.11 a/b/g/n, Dual band (2.4 Ghz, 5Ghz)
Emulations	Auto detect - SZPL, SDPL, SIPL or STCL
Dimensions (H x W x D)	321 mm x 338 mm x 457 mm
Weight	20 kg



Resolution (interchangeable) 203 dpi
Resolution (interchangeable) 305 dpi
Multi interface
Dispenser
Metal Cover
Cutter

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

EU power cable								
CL6NX 203dpi	2.845,00 €	WWCL90060EU	•	•	•	•	•	•
CL6NX 305dpi	3.245,00 €	WWCL91060EU	•	•	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide
EU power cable

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

CL6NX versions EU


**PRODUCT
DESCRIPTION**
LIST PRICE
**PROD. CODE ROHS /
SATO PROD. CODE**
CL6NX with EU power cable and simple dispenser

CL6NX 203 dpi + EU power cable with simple dispenser	3.155,00 €	WWCL90260EU
--	------------	-------------

CL6NX 305 dpi + EU power cable with simple dispenser	3.555,00 €	WWCL91260EU
--	------------	-------------

CL6NX with EU power cable and dispenser including liner rewinder

CL6NX 203 dpi + EU power cable with dispenser including liner rewinder	3.395,00 €	WWCLD0210EU
--	------------	-------------

CL6NX 305 dpi + EU power cable with dispenser including liner rewinder	3.795,00 €	WWCLE0210EU
--	------------	-------------

CL6NX with EU power cable and cutter (guillotine)

CL6NX 203 dpi + EU power cable with cutter (guillotine)	3.595,00 €	WWCL90160EU
---	------------	-------------

CL6NX 305 dpi + EU power cable with cutter (guillotine)	3.995,00 €	WWCL91160EU
---	------------	-------------

Additional CL6NX configurations are available on request. Please contact your local SATO office for more information.

CL6NX versions EU



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

CL6NX with EU power cable and WLAN

CL6NX 203 dpi + EU power cable with WLAN

3.145,00 €

WWCLD0080EU

CL6NX 305 dpi + EU power cable with WLAN

3.545,00 €

WWCLE0080EU

CL6NX with EU cable and RTC

CL6NX 203 dpi + EU power cable with RTC

2.935,00 €

WWCLD0000EU

CL6NX 305 dpi + EU power cable with RTC

3.335,00 €

WWCLE0000EU

Additional CL6NX configurations are available on request. Please contact your local SATO office for more information.

CL6NX PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Cutter kit (guillotine - CL6NX)	750,00 €	WWCL95100
Simple dispenser kit (CL6NX)	310,00 €	WWCL95200
Dispenser kit with liner rewinder (CL6NX)	550,00 €	WWCL95300
RTC kit (CL4NX/CL6NX)	90,00 €	WWCL05900
W-LAN kit (CL4NX/CL6NX COMBO)	300,00 €	WWCL05080
Print Head (8 DPMM) CL6NX 203dpi	490,00 €	R32169600
Print Head (12 DPMM) CL6NX 305dpi	690,00 €	R32169900
Platen roller assy CL6NX	62,00 €	R32174100

CL6NX series UK

PRINTER SPECIFICATIONS

Print Speed	254 mm (10")
Print Width	167 mm (6.5")
Print Length	2500 mm (203 dpi) / 1500 mm (305 dpi)
Memory	256 MB RAM; 2 GB ROM
Controls	Multifunction LCD Display Panel
Cabinet	Metal, ALUMINIUM DIE-CAST
Interfaces (Standard)	USB 2.0 type B, USB 2.0 type A, (2 port), RS-232C, IEEE1284, LAN, Bluetooth 3.0
EXT Interfaces (Optional)	WLAN (Wifi Certified and CCX Certified) 802.11 a/b/g/n, Dual band (2.4 Ghz,5Ghz)
Emulations	Auto detect - SZPL, SDPL, SIPL or STCL
Dimensions (H x W x D)	321 mm x 338 mm x 457 mm
Weight	20 kg



Resolution (interchangeable) 203 dpi	Resolution (interchangeable) 305 dpi	Multi interface	Dispenser	Metal Cover	Cutter
--------------------------------------	--------------------------------------	-----------------	-----------	-------------	--------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

UK power cable

CL6NX 203dpi + UK power cable	2.845,00 €	WWCL90060UK	•	•	•	•	•	•
CL6NX 305dpi + UK power cable	3.245,00 €	WWCL91060UK	•	•	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide
UK power cable

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



CL6NX versions UK


**PRODUCT
DESCRIPTION**
LIST PRICE
**PROD. CODE ROHS /
SATO PROD. CODE**
CL6NX with UK power cable and simple dispenser

CL6NX 203 dpi + UK power cable with simple dispenser	3.155,00 €	WWCL90260UK
--	------------	-------------

CL6NX 305 dpi + UK power cable with simple dispenser	3.555,00 €	WWCL91260UK
--	------------	-------------

CL6NX with UK power cable and dispenser including liner rewinder

CL6NX 203 dpi + UK power cable with dispenser including liner rewinder	3.395,00 €	WWCLD0210UK
--	------------	-------------

CL6NX 305 dpi + UK power cable with dispenser including liner rewinder	3.795,00 €	WWCLE0210UK
--	------------	-------------

CL6NX with UK power cable and cutter (guillotine)

CL6NX 203 dpi + UK power cable with cutter (guillotine)	3.595,00 €	WWCL90160UK
---	------------	-------------

CL6NX 305 dpi + UK power cable with cutter (guillotine)	3.995,00 €	WWCL91160UK
---	------------	-------------

Additional CL6NX configurations are available on request. Please contact your local SATO office for more information.

CL6NX versions UK



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

CL6NX with UK power cable and WLAN

CL6NX 203 dpi + UK power cable with WLAN

3.145,00 €

WWCLD0080UK

CL6NX 305 dpi + UK power cable with WLAN

3.545,00 €

WWCLE0080UK

CL6NX with UK cable and RTC

CL6NX 203 dpi + UK power cable with RTC

2.935,00 €

WWCLD0000UK

CL6NX 305 dpi + UK power cable with RTC

3.335,00 €

WWCLE0000UK

Additional CL6NX configurations are available on request. Please contact your local SATO office for more information.

CL6NX PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Cutter kit (guillotine - CL6NX)	750,00 €	WWCL95100
Simple dispenser kit (CL6NX)	310,00 €	WWCL95200
Dispenser kit with liner rewinder (CL6NX)	550,00 €	WWCL95300
RTC kit (CL4NX/CL6NX)	90,00 €	WWCL05900
W-LAN kit (CL4NX/CL6NX COMBO)	300,00 €	WWCL05080
Print Head (8 DPMM) CL6NX 203dpi	490,00 €	R32169600
Print Head (12 DPMM) CL6NX 305dpi	690,00 €	R32169900
Platen roller assy CL6NX	62,00 €	R32174100

GZ408e / GZ412e



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	250 mm (10") / 200 mm (8")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2") / 833 mm (32,8")
Memory	16 MB SDRAM; 6 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces	Combo model (RS-232C + IEEE1284 + USB), LAN model and WLAN model
Dimensions (H x W x D)	322 mm x 271 mm x 428 mm
Weight	14 kg (incl. Power supply)

Incl. Combo interface	Incl. LAN interface	Incl. W-LAN interface	Zebra Emulation	Unicode
-----------------------	---------------------	-----------------------	-----------------	---------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS				
GZ408e 203 dpi RS232C, IEEE1284, USB	1.495,00 €	WWCL53022	•			•	•
GZ408e 203 dpi LAN	1.595,00 €	WWCL53042		•		•	•
GZ408e 203 dpi Wireless LAN	1.895,00 €	WWCL53082			•	•	•
GZ412e 305 dpi RS232C, IEEE1284, USB	1.795,00 €	WWCL54022	•			•	•
GZ412e 305 dpi LAN	1.895,00 €	WWCL54042		•		•	•
GZ412e 305 dpi Wireless LAN	2.195,00 €	WWCL54082			•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

End-of-stock promotion, please contact your local SATO office for more information.

DELIVERY CONTENT

- Quick Guide
- Euro Power Plug
- Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



GZ408e / GZ412e PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Guillotine Cutter

480,00 €

WWCL45100

Dispenser
(incl. internal Liner rewinder)

170,00 €

WWCL45200

Catch tray for GZ4xxe / CL4xxe

300,00 €

WMR405501

Real Time Clock for enhanced Series

90,00 €

CV617431A

End-of-stock promotion, please contact your local SATO office for more information.

CL408e / CL412e



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2") / 833 mm (32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces	1st slot: optional e-series interfaces Serial RS232; Parallel Centronics; USB, LAN, WLAN
Dimensions (H x W x D)	321 mm x 271 mm x 430 mm
Weight	13 kg (incl. Power supply)

Resolution 203 dpi	Resolution 305 dpi	External Signal IF	Metal Cover	Dispenser
--------------------	--------------------	--------------------	-------------	-----------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS				
CL408e 203 dpi	1.395,00 €	WWC408002	•	•	•		
CL408e with Dispenser (incl. liner rewinder)	1.565,00 €	WWC408202	•	•	•	•	
CL412e 305 dpi	1.695,00 €	WWC412002		•	•	•	

SATO Prestige Service Program can be found on the last page of this pricelist.

Note: Interface not included! Needs to be ordered separately

Limited stock only. Please refer to page 2 for detailed information.

DELIVERY CONTENT

- Quick Guide
- Euro Power Plug
- Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



CL408e / CL412e PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Guillotine Cutter (Door Mount)	480,00 €	WWC405100
Dispenser (incl. internal Liner rewinder)	170,00 €	WWC405201
Internal Label Rewinder - Rewind Shaft ø 40 mm - Maximum outer diameter of rewind label is ø 115 mm Maximum outer diameter of supply label roll is less than ø 200 mm if internal rewinder is used - Size of label (with backing paper) W22-128 mm (W25-131) P17-178 mm(P20-181)	290,00 €	WWC405300
Rotary Cutter (for high volume and thick material)	750,00 €	WWC405110
Catch tray for CL4xxe	300,00 €	WMR405501
Real Time Clock for enhanced Series	90,00 €	CV617431A
Interfaces		
RS232C Interface for enhanced	100,00 €	WWCL45032
Centronics Interface for enhanced	100,00 €	RJ1772001
IEEE 1284 Parallel Interface for enhanced	100,00 €	WWCL45060
USB enhanced Interface for enhanced	120,00 €	WWCL45020
LAN Interface for enhanced	455,00 €	WWGT45040

Limited stock only. Please refer to page 2 for detailed information.

CL408e / CL412e PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Wireless LAN Interface for enhanced	630,00 €	WWCL45082
RS422 / 485 Interface for enhanced	190,00 €	RJ1772500
Memory Extensions		
PCB for PCMCIA Memory Card for enhanced	220,00 €	RJ4770100
PCMCIA SRAM, battery powered; 1 MB 16 bit	121,00 €	Y98133080001
PCMCIA SRAM, battery powered; 2 MB 16 bit	255,00 €	Y98133080002
PCMCIA Memcard SRAM 4 MB with attribute	335,00 €	Y98133080007
Internal Flash Memory 6 MB 2 MB Printer Firmware + 4 MB User Memory	195,00 €	RJ7770300

Limited stock only. Please refer to page 2 for detailed information.



RFID



CL408e / 412e >UHF<


Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2") / 833 mm (32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces (optional)	1 Slot: RS-232C, USB, IEEE1284, LAN, WLAN
Dimensions (H x W x D)	321 mm x 271 mm x 430 mm
Weight	13 kg

RFID SPECIFICATIONS

Protocols:	Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19
RFID Features:	- Fully integrated UHF RFID Reader/Encoder Module - RFID calibration function for optimal transponder performance - void marking of damaged or unreadable Transponders - RFID data verification after programming - Multiple RFID power settings allow users to use individual Transponder sizes - XML-enabled printing - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm - PWP function allows flexible Inlay positions - TID reading and printing as text and Barcode
Gen2 Memory:	Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
CL408e UHF (RFID) w/o Interface	3.090,00 €	Y54169221244	•		•		•	•
CL408e UHF DIP (RFID) w/o Interface	3.150,00 €	WWC408C02	•			•	•	•
CL412e UHF (RFID) w/o Interface	3.340,00 €	WWC412C02		•	•		•	•
CL412e UHF DIP (RFID) w/o Interface	3.400,00 €	WWC413C02		•		•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Limited stock only. Please refer to page 2 for detailed information.

DELIVERY CONTENT

Quick Guide, Euro Power Plug,
Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



www.satoeurope.com





RFID



CL408e / 412e >HF<

Standard: ISO/IEC 15693 · Frequency: 13,56 MHz

RFID SPECIFICATIONS


Transponder:	NXP	I-code SLI	112 bytes
	TI	Tag-it HF-I	256 bytes
	Infineon	My-d	992 bytes

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - UID reading and printing as text and Barcode



PRINTER SPECIFICATIONS

Resolution	203 / 305 dpi (8 / 12 dots/mm)
Print Speed	up to 150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2") / 833 mm (32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces (optional)	1 Slot: RS-232C, USB, IEEE1284, LAN, WLAN
Dimensions (H x W x D)	321 mm x 271 mm x 430 mm
Weight	13 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS			
CL408e HF (RFID) w/o Interface	2.850,00 €	WWC40T002	•	•	•	
CL412e HF (RFID) w/o Interface	3.150,00 €	WWC41D002		•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Limited stock only. Please refer to page 2 for detailed information.

DELIVERY CONTENT

Quick Guide, Euro Power Plug,
Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



www.satoeurope.com



CL608e / CL612e



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	200 mm (8")
Print Width	152 mm (6") / 165 mm (6,5")
Print Length	1249 mm (49,2") / 704 mm (32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; adjustable LCD display
Cabinet	Metal
Interfaces	1st slot: optional e-series interfaces
Dimensions (H x W x D)	298 mm x 352 mm x 430 mm
Weight	19 kg

Resolution 203 dpi	Resolution 305 dpi	Dispenser	Ext. Signal IF	Plastic Cover
--------------------	--------------------	-----------	----------------	---------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS				
CL608e 203 dpi	2.545,00 €	WWC608002	•			•	•
CL608e with Dispenser (Incl. liner rewinder)	2.880,00 €	WWC608202	•	•		•	•
CL612e 305 dpi	3.045,00 €	WWC612002			•	•	•
CL612e with Dispenser (Incl. liner rewinder)	3.380,00 €	WWC612202		•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Note: Interface not included! Needs to be ordered separately

DELIVERY CONTENT

Quick Guide
Euro Power Plug
Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



CL608e / CL612e PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
--------------------------------	------------	--------------------------------------

Interfaces

RS232C Interface for enhanced	100,00 €	WWCL45032
Centronics Interface for enhanced	100,00 €	RJ1772001
IEEE 1284 Parallel Interface for enhanced	100,00 €	WWCL45060
USB enhanced Interface for enhanced	120,00 €	WWCL45020
LAN Interface for enhanced (Standard Slot)	455,00 €	WWGT45040
Wireless Mini LAN Interface for enhanced	630,00 €	WWCL45082
RS422 / 485 Interface for enhanced	190,00 €	RJ1772500

Other Options

Cutter (Rotary)	1.000,00 €	WWC605100
Dispenser (Incl. liner rewinder)	435,00 €	WWC605200
Real Time Clock for enhanced Series	90,00 €	CV617431A

Continuing on next page.

CL608e / CL612e PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Memory Extensions

PCB for PCMCIA Memory Card for enhanced

220,00 €

RJ4770100

PCMCIA SRAM, battery powered; 1 MB 16 bit

121,00 €

Y98133080001

PCMCIA SRAM, battery powered; 2 MB 16 bit

255,00 €

Y98133080002

PCMCIA Memcard SRAM 4 MB with attribute

335,00 €

Y98133080007

Internal Flash Memory 6 MB

2 MB Printer Firmware + 4 MB User Memory

195,00 €

RJ7770300



RFID



CL608e


Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 200 mm (8")
Print Width	152 mm (6")
Print Length	1249 mm / 833 mm (49,2" / 32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; adjustable LCD display
Cabinet	Metal
Interfaces (optional)	1 Slot: RS-232C, USB, IEEE1284, LAN, WLAN
Interface (fix)	14 pin Ext Signal
Dimensions (H x W x D)	298 mm x 352 mm x 430 mm
Weight	19 kg

RFID SPECIFICATIONS

Protocols:	Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19
RFID Features:	- Fully integrated UHF RFID Reader/Encoder Module - RFID calibration function for optimal transponder performance - void marking of damaged or unreadable Transponders - RFID data verification after programming - Multiple RFID power settings allow users to use individual Transponder sizes - XML-enabled printing - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm - PWP function allows flexible Inlay positions - TID reading and printing as text and Barcode
Gen2 Memory:	Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
CL608e UHF (RFID) w/o Interface	4.790,00 €	Y54169221594	•	•	•	•		

SATO Prestige Service Program can be found on the last page of this pricelist.

DELIVERY CONTENT

Quick Guide, Euro Power Plug,
Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



www.satoeurope.com



GT408e / GT412e / GT424e



PRINTER SPECIFICATIONS

Resolution	GTexxe 203 dpi / 305 dpi / 609 dpi
Print Speed	300 mm (11,8") / GTe424e: 150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	2500 mm (98,4") / 1500 mm (59,1") / 400 mm (15,8")
Memory	6 MB (Main Memory: 4 MB, Font: 2 MB)
Controls	2-button panel; adjustable LCD display
Cabinet	Metal
Interfaces (Optional)	1st Slot: Mini LAN only 2nd Slot: RS-232C, High-speed RS-232C, USB, IEEE1284, LAN, Centronics, RS-422/485, Wireless LAN 3rd Slot: 14-pin or 25-pin Ext Signal Board
Dimensions (H x W x D)	305 mm x 271 mm x 455 mm
Weight	15 kg (incl. Power supply)

Resolution (interchangeable) 203 dpi	Resolution (interchangeable) 305 dpi	Resolution (interchangeable) 600 dpi	SEMBL	Metal Cover	3 Interface slots
--------------------------------------	--------------------------------------	--------------------------------------	-------	-------------	-------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

GT408e 203 dpi	1.745,00 €	WWGT08002	•		•	•	•
GT412e 305 dpi	2.145,00 €	WWGT12002		•	•	•	•
GT424e 609 dpi	2.645,00 €	WWGT24002			•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Interface board needs to be ordered separately;
not included in listprice.

End-of-stock promotion, please contact your local SATO office for more information.

DELIVERY CONTENT

- Quick Guide
- Euro Power Plug
- Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



GT4xxe PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
GT Cutter (Guillotine)	460,00 €	WWGT05100
GT Simple Dispenser Kit (No liner rewind)	225,00 €	WWGT05220
GT Internal Dispenser (Including liner rewind)	795,00 €	WWGT05980
GT Internal Rewinder (To rewind a full 265 mm roll)	945,00 €	WWGT05300
GT Linerless Kit (Including special linerless cutter)	815,00 €	WWGT05500 WGT405500
Memory Cartridge (Standard: Preinstalled in every printer)	180,00 €	WGT405902

Continuing on next page.

End-of-stock promotion, please contact your local SATO office for more information

GT4xxe PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
GT Mini LAN Interface (1st slot only)	445,00 €	WGT405842
RS232C Interface for enhanced	100,00 €	WWCL45032
Centronics Interface for enhanced	100,00 €	RJ1772001
IEEE 1284 Parallel Interface for enhanced	100,00 €	WWCL45060
LAN Interface for enhanced	455,00 €	WWGT45040
Wireless LAN Interface for enhanced	630,00 €	WWCL45082
RS422 / 485 Interface for enhanced	190,00 €	RJ1772500
USB Interface for enhanced	120,00 €	WWCL45020
GT EXT (25) PCB Assy	185,00 €	WWGT05870
GT EXT (14) PCB Assy (standard)	140,00 €	WWGT405880
Other Options		
GT Real Time Clock	90,00 €	CV617431A

Limited stock only. Please refer to page 2 for detailed information.



RFID



GT408e / 412e >HF<

Standard: ISO/IEC 15693 · Frequency: 13,56 MHz

RFID SPECIFICATIONS


Transponder:	NXP	I-code SLI	112 bytes
	TI	Tag-it HF-I	256 bytes
	Infineon	My-d	992 bytes

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - UID reading and printing as text and Barcode



PRINTER SPECIFICATIONS

Resolution	203 / 305 dpi (8/12 dots/mm)
Print Speed	up to 300 mm (11,8")
Print Width	104 mm (4,1")
Print Length	2.500 mm (98,4") / 1.500 mm (59,1")
Memory	6 MB
Controls	Multifunction Display Panel
Cabinet	Metal
Interfaces (Optional)	1st Slot: Mini LAN only 2nd Slot: RS-232C, USB, IEEE1284, LAN, WLAN 3rd Slot: 14-pin or 25-pin Ext Signal Board
Dimensions (H x W x D)	305 mm x 271 mm x 455 mm
Weight	15 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS				
GT408e HF (RFID) w/o Interface	3.150,00 €	Y58169228984	•			•	•
GT412e HF (RFID) w/o Interface	3.500,00 €	Y58169228985		•		•	•
GT424e HF (RFID) w/o Interface	on request	Y58169228986			•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Limited stock only. Please refer to page 2 for detailed information.

DELIVERY CONTENT

Quick Guide, Euro Power Plug
Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



www.satoeurope.com





RFID



GT408e / GT412e >UHF<


Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 300 mm (11,8")
Print Width	104 mm (4,1")
Print Length	2500 mm (98,4") / 1500 mm (59,1")
Memory	6 MB
Controls	Multifunction Display Panel
Cabinet	Metal
Interfaces (Optional)	1st Slot: Mini LAN only 2nd Slot: RS-232C, IEEE1284, LAN, WLAN 3rd Slot: 14-pin or 25-pin Ext Signal Board
Dimensions (H x W x D)	305 mm x 271 mm x 455 mm
Weight	15 kg

RFID SPECIFICATIONS

Protocols:	Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19
RFID Features:	- Fully integrated UHF RFID Reader/Encoder Module - RFID calibration function for optimal transponder performance - void marking of damaged or unreadable Transponders - RFID data verification after programming - Multiple RFID power settings allow users to use individual Transponder sizes - XML-enabled printing - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm - PWP function allows flexible Inlay positions - TID reading and printing as text and Barcode
Gen2 Memory:	Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
GT408e UHF (RFID) w/o Interface	3.590,00 €	WWGT0C002	•		•		•	•
GT408e UHF DIP (RFID) w/o Interface	3.590,00 €	WWGT08C02	•			•	•	•

Limited stock only. Please refer to page 2 for detailed information.

DELIVERY CONTENT

Quick Guide, Euro Power Plug
Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



www.satoeurope.com



M10e TT / M10e DT



PRINTER SPECIFICATIONS

Resolution	305 dpi
Print Speed	125 mm (5")
Print Width	267 mm (10,5")
Print Length	420 mm (16,5")
Memory	16 MB SDRAM; 6 MB Flash
Controls	5-button panel; adjustable LCD display
Cabinet	Plastic
Interfaces	1st slot: optional e-series interfaces (choice of 1) 2nd slot: External Signal Interface; installed as Standard
Dimensions (H x W x D)	320 mm x 475 mm x 315 mm
Weight	23 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS				
M10e TT	5.515,00 €	WWM102002	•	•	•	•	•
M10e DT	4.995,00 €	WWM103002	•	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Interface board needs to be ordered separately;
not included in listprice.

DELIVERY CONTENT


Power Cord
Ribbon Core

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



M10e TT / M10e DT PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE


PROD. CODE ROHS / SATO PROD. CODE

Interfaces

RS232C Interface for enhanced	100,00 €	WWCL45032
Centronics Interface for enhanced	100,00 €	RJ1772001
IEEE 1284 Parallel Interface for enhanced	100,00 €	WWCL45060
USB Interface for enhanced	120,00 €	WWCL45020
LAN Interface for enhanced	455,00 €	WWGT45040
Wireless LAN Interface for enhanced	630,00 €	WWCL45082
RS422 / 485 Interface for enhanced	190,00 €	RJ1772500

Continuing on next page.

M10e TT / M10e DT PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
M10e Cutter	1.400,00 €	WWM105100
M10e Stacker Stackable size: Width 127 – 297 mm, Length 67 – 117 mm	210,00 €	WWM105600
M10e Unwinder (passive) max. outer diameter 200 mm	1.195,00 €	WWM105400
Memory Extensions		
PCB for PCMCIA Memory Card for enhanced Series	220,00 €	RJ4770100
PCMCIA SRAM, battery powered; 1 MB 16 bit	121,00 €	Y98133080001
PCMCIA SRAM, battery powered; 2 MB 16 bit	255,00 €	Y98133080002
PCMCIA Memcard SRAM 4 MB with attribute	335,00 €	Y98133080007
Internal Flash Memory 6 MB 2 MB Printer Firmware + 4 MB User Memory	195,00 €	RJ7770300

M84Pro



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	254 mm (10") / 200 mm (7,9") / 150 mm (6")
Print Width	104 mm (4,1")
Print Length	1249 mm (49") / 833 mm (32,8") / 356 mm (14")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; adjustable LCD display
Cabinet	Metal
Interfaces	Optional e-series interfaces
	External Signal Interface; installed as Standard
Dimensions (H x W x D)	341 mm x 435 mm x 265 mm
Weight	18 kg

DT	TT	203 dpi	305 dpi	609 dpi	Metal Construction	External Signal Interface	Second IF Slot for e-series interfaces	PCMCIA Extension Slot
----	----	---------	---------	---------	--------------------	---------------------------	--	-----------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	DT	TT	203 dpi	305 dpi	609 dpi	Metal Construction	External Signal Interface	Second IF Slot for e-series interfaces	PCMCIA Extension Slot
M84Pro 203 dpi	2.370,00 €	WWM842002	•	•	•			•	•	•	•
M84Pro 305 dpi	3.050,00 €	WWM843002	•	•		•		•	•	•	•
M84Pro 609 dpi	3.595,00 €	WWM846002	•	•			•	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Interface board needs to be ordered separately;
not included in listprice.

DELIVERY CONTENT

- Quick Guide
- Euro Power Plug
- Specify Country specific plug with DI/delivery instruction

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



M84Pro PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Interfaces

RS232C Interface for enhanced	100,00 €	WWCL45032
Centronics Interface for enhanced	100,00 €	RJ1772001
IEEE 1284 Parallel Interface for enhanced	100,00 €	WWCL45060
USB Interface for enhanced	120,00 €	WWCL45020
LAN Interface for enhanced	455,00 €	WWGT45040
Wireless LAN Interface for enhanced	630,00 €	WWCL45082
RS422 / 485 Interface for enhanced	190,00 €	RJ1772500

Continuing on next page.

M84Pro PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Other Options

Cutter (Rotary)	750,00 €	WWM845100
-----------------	----------	-----------

Dispenser (no Liner Rewinder)	234,00 €	WWM845200
-------------------------------	----------	-----------

Memory Extensions

PCB for PCMCIA Memory Card for enhanced Series	220,00 €	RJ4770100
--	----------	-----------

PCMCIA SRAM, battery powered; 1 MB 16 bit	121,00 €	Y98133080001
---	----------	--------------

PCMCIA SRAM, battery powered; 2 MB 16 bit	255,00 €	Y98133080002
---	----------	--------------

PCMCIA Memcard SRAM 4 MB with attribute	335,00 €	Y98133080007
---	----------	--------------

Internal Flash Memory 6 MB 2 MB Printer Firmware + 4 MB User Memory	195,00 €	R02165000
--	----------	-----------

DR308e



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	125 mm (4,9")
Print Width	80 mm (3,2")
Print Length	178 mm (7")
Memory	8 MB Flash
Controls	Backlit LCD (8 digits x 2 lines) 2 Control Buttons
Cabinet	Plastic
Interfaces	RS-232C D-SUB9 pins (exclusively for Keypad); EXT I/O Interface Optional: enhanced series interfaces
Dimensions (H x W x D)	240 mm x 211 mm x 350 mm
Weight	8 kg

Resolution 203 dpi	DT/TT	RS-232C D-SUB9 pins	External Port Connector
--------------------	-------	---------------------	-------------------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS			
DR308e	1.495,00 €	WWDR30002	•	•	•	•
DR308e Offline Package consisting of DR308e Printer Calendar IC Keypad 2GB SD Card SanDisk All printer DVD	1.950,00 €	WWDR30502 WWDR30002 WWDR35900 WWDR35500 Y98122050002 Y98133040022	•	•	•	•

SATO Prestige Service Program can be found on the last page of this pricelist.

Interface board needs to be ordered separately;
not included in listprice.

DELIVERY CONTENT

Supply Assy (100 mm OD)
Power Plug
Quick Start Guide (EN, GER)
Printhead Cleaning Sheet

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



DR PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
DR Cutter (Guillotine)	275,00 €	WWDR35100
Dispenser (No liner rewind)	95,00 €	WWDR35200
DR Rewinder	215,00 €	WWDR35300
DR Stacker (passiv)	88,00 €	WWDR35600
DR Real Time Clock	85,00 €	WWDR35900
Keypad	305,00 €	WWDR35500
SanDisk SD card 2 GB Ultra II Note: Keypad supports SD Card up to 2GB. Recommended Card: SanDisk	49,00 €	Y98122050002

Continuing on next page.

DR PRINTER OPTIONS




PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Interfaces		
LAN Interface for enhanced	455,00 €	WWGT45040
USB Interface for enhanced RoHS	120,00 €	WWCL45020
RS232C Interface for enhancedRoHS	100,00 €	WWCL45032
IEEE1284 Interface for enhanced RoHS	100,00 €	WWCL45060
Wireless LAN Interface for enhanced	630,00 €	WWCL45082

TG3



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	250 mm (10ips)
Print Width	80 mm (3,15")
Print Length	up to 240 mm (9,45")
Memory	8 MB Flash (Free User Space: 4 MB)
Controls	LED display
Cabinet	Plastic
Interfaces	USB / LAN / WLAN / RS-232C
Dimensions (H x W x D)	300 mm x 284 mm x 552 mm
Weight	16.2 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS			
TG308 incl. cutter w/o interface	3.590,00 €	WWTG30102	•		•	
TG312 incl. cutter w/o interface	3.850,00 €	WWTG40102		•	•	

Interface board needs to be ordered separately;
not included in listprice.

DELIVERY CONTENT

Quick Start Guide (EN, GER)

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6



TG3 ACCESSORIES



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Stacker With RoHS for TG3

650,00 €

WWTG35600

TG3 ACCESSORIES



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Interfaces

RS232C Interface for enhanced

100,00 €

WWCL45032

IEEE 1284 Parallel Interface for enhanced

100,00 €

WWCL45060

USB Interface for enhanced

120,00 €

WWCL45020

LAN Interface for enhanced

455,00 €

WWGT45040

Wireless LAN Interface for enhanced

630,00 €

WWCL45082

S84-ex Thermal Transfer EU



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM; 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 408 mm
Weight	13,7 kg (TT model), 12,3 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Multi Interface	External 25 Pin I/O Interface	Ribbon Saver (preinstalled)
----------------------	-----------------------	--------------------	--------------------	--------------------	-----------------	-------------------------------	-----------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE


STANDARD FEATURES / OPTIONS

EU power cable

S84-ex TT LH 203 dpi	3.945,00 €	WWS830800EU	•	•	•	•		
S84-ex TT RH 203 dpi	3.945,00 €	WWS830900EU		•	•	•	•	
S84-ex TT LH 305 dpi	4.120,00 €	WWS840800EU	•		•	•	•	
S84-ex TT RH 305 dpi	4.120,00 €	WWS840900EU		•	•	•	•	
S84-ex TT LH 609 dpi	5.330,00 €	WWS850800EU	•		•	•	•	
S84-ex TT RH 609 dpi	5.330,00 €	WWS850900EU		•	•	•	•	

DELIVERY CONTENT

Quick Guide
EU power cable



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S84-ex Direct Thermal EU

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM; 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 408 mm
Weight	13,7 kg (TT model), 12,3 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Multi Interface	External 25 Pin I/O Interface	Ribbon Saver (preinstalled)
----------------------	-----------------------	--------------------	--------------------	--------------------	-----------------	-------------------------------	-----------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE


STANDARD FEATURES / OPTIONS

EU power cable

S84-ex DT LH 203 dpi	3.695,00 €	WWS831800EU	•	•	•	•	
S84-ex DT RH 203 dpi	3.695,00 €	WWS831900EU		•	•	•	•
S84-ex DT LH 305 dpi	3.895,00 €	WWS841800EU	•		•	•	•
S84-ex DT RH 305 dpi	3.895,00 €	WWS841900EU		•	•	•	•
S84-ex DT LH 609 dpi	5.080,00 €	WWS851800EU	•		•	•	•
S84-ex DT RH 609 dpi	5.080,00 €	WWS851900EU		•	•	•	•

DELIVERY CONTENT

Quick Guide
EU power cable



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S84-ex incl. Ribbon Saver EU



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM; 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 408 mm
Weight	13,7 kg (TT model), 12,3 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Multi Interface	External 25 Pin I/O Interface	Ribbon Saver (preinstalled)
----------------------	-----------------------	--------------------	--------------------	--------------------	-----------------	-------------------------------	-----------------------------

PRODUCT

LIST PRICE


PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

EU power cable										
S84-ex TT RS LH 203 dpi	4.760,00 €	WWS832800EU	•		•		•	•	•	
S84-ex TT RS RH 203 dpi	4.760,00 €	WWS832900EU		•	•		•	•	•	
S84-ex TT RS LH 305 dpi	5.140,00 €	WWS842800EU	•		•		•	•	•	
S84-ex TT RS RH 305 dpi	5.140,00 €	WWS842900EU		•	•		•	•	•	
S84-ex TT RS LH 609 dpi	6.290,00 €	WWS852800EU	•			•	•	•	•	
S84-ex TT RS RH 609 dpi	6.290,00 €	WWS852900EU		•		•	•	•	•	

DELIVERY CONTENT

Quick Guide
EU power cable



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S84-ex RFID Versions EU



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM; 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 408 mm
Weight	13,7 kg (TT model), 12,3 kg (DT model)

PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

S84-ex EU LH RFID

S84-ex 203dpi TT LH RFID, UHF W/POWER CABLE (EU)	5.940,00 €	WWS833800EU
S84-ex 305dpi TT LH RFID, UHF W/POWER CABLE (EU)	6.115,00 €	WWS843800EU
S84-ex 609dpi TT LH RFID, UHF W/POWER CABLE (EU)	7.325,00 €	WWS853800EU

S84-ex EU RH RFID

S84-ex 203dpi TT RH RFID, UHF W/POWER CABLE (EU)	5.940,00 €	WWS833900EU
S84-ex 305dpi TT RH RFID, UHF W/POWER CABLE (EU)	6.115,00 €	WWS843900EU
S84-ex 609dpi TT RH RFID, UHF W/POWER CABLE (EU)	7.325,00 €	WWS853900EU

S86-ex Thermal Transfer EU



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	up to 356 mm/s (14")
Print Width	167,5 mm (6,59")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM, 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 417 mm
Weight	15,1 kg (TT model), 13,6 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Multi Interface	External 25 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	-----------------	-------------------------------

PRODUCT


LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

EU power cable

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Multi Interface	External 25 Pin I/O Interface
S86-ex TT LH 203 dpi	4.745,00 €	WWS860800EU	•		•		•	•
S86-ex TT RH 203 dpi	4.745,00 €	WWS860900EU		•	•		•	•
S86-ex TT LH 305 dpi	5.095,00 €	WWS870800EU	•			•	•	•
S86-ex TT RH 305 dpi	5.095,00 €	WWS870900EU		•	•		•	•



DELIVERY CONTENT

- Quick Guide
- EU power cable

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S86-ex Direct Thermal EU



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	up to 356 mm/s (14")
Print Width	167,5 mm (6,59")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM, 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 417 mm
Weight	15,1 kg (TT model), 13,6 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Multi Interface	External 25 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	-----------------	-------------------------------

PRODUCT


LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

EU power cable

S86-ex DT LH 203 dpi	4.445,00 €	WWS861800EU	•	•	•	•
S86-ex DT RH 203 dpi	4.445,00 €	WWS861900EU	•	•	•	•
S86-ex DT LH 305 dpi	4.795,00 €	WWS871800EU	•	•	•	•
S86-ex DT RH 305 dpi	4.795,00 €	WWS871900EU	•	•	•	•



DELIVERY CONTENT

Quick Guide
EU power cable

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S84-ex Thermal Transfer UK



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM; 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 408 mm
Weight	13,7 kg (TT model), 12,3 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Multi Interface	External 25 Pin I/O Interface	Ribbon Saver (preinstalled)
----------------------	-----------------------	--------------------	--------------------	--------------------	-----------------	-------------------------------	-----------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE


STANDARD FEATURES / OPTIONS

UK power cable

S84-ex TT LH 203 dpi	3.945,00 €	WWS830800UK	•	•	•	•		
S84-ex TT RH 203 dpi	3.945,00 €	WWS830900UK		•	•	•	•	
S84-ex TT LH 305 dpi	4.120,00 €	WWS840800UK	•		•	•	•	
S84-ex TT RH 305 dpi	4.120,00 €	WWS840900UK		•	•	•	•	
S84-ex TT LH 609 dpi	5.330,00 €	WWS850800UK	•		•	•	•	
S84-ex TT RH 609 dpi	5.330,00 €	WWS850900UK		•	•	•	•	

DELIVERY CONTENT

Quick Guide
UK power cable



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S84-ex Direct Thermal UK

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM; 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 408 mm
Weight	13,7 kg (TT model), 12,3 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Multi Interface	External 25 Pin I/O Interface	Ribbon Saver (preinstalled)
----------------------	-----------------------	--------------------	--------------------	--------------------	-----------------	-------------------------------	-----------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE


STANDARD FEATURES / OPTIONS

UK power cable

S84-ex DT LH 203 dpi	3.695,00 €	WWS831800UK	•	•	•	•		
S84-ex DT RH 203 dpi	3.695,00 €	WWS831900UK		•	•	•	•	
S84-ex DT LH 305 dpi	3.895,00 €	WWS841800UK	•		•	•	•	
S84-ex DT RH 305 dpi	3.895,00 €	WWS841900UK		•	•	•	•	
S84-ex DT LH 609 dpi	5.080,00 €	WWS851800UK	•		•	•	•	
S84-ex DT RH 609 dpi	5.080,00 €	WWS851900UK		•	•	•	•	

DELIVERY CONTENT

Quick Guide
UK power cable



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S84-ex incl. Ribbon Saver UK



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM; 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 408 mm
Weight	13,7 kg (TT model), 12,3 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Multi Interface	External 25 Pin I/O Interface	Ribbon Saver (preinstalled)
----------------------	-----------------------	--------------------	--------------------	--------------------	-----------------	-------------------------------	-----------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE


STANDARD FEATURES / OPTIONS

UK power cable

S84-ex TT RS LH 203 dpi	4.760,00 €	WWS832800UK	•	•	•	•	•
S84-ex TT RS RH 203 dpi	4.760,00 €	WWS832900UK	•	•	•	•	•
S84-ex TT RS LH 305 dpi	5.140,00 €	WWS842800UK	•	•	•	•	•
S84-ex TT RS RH 305 dpi	5.140,00 €	WWS842900UK	•	•	•	•	•
S84-ex TT RS LH 609 dpi	6.290,00 €	WWS852800UK	•	•	•	•	•
S84-ex TT RS RH 609 dpi	6.290,00 €	WWS852900UK	•	•	•	•	•

DELIVERY CONTENT

Quick Guide
UK power cable



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S84-ex RFID Versions UK



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM; 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 408 mm
Weight	13,7 kg (TT model), 12,3 kg (DT model)

PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

S84-ex UK LH RFID

S84-ex 203dpi TT LH RFID, UHF W/POWER CABLE (UK)	5.940,00 €	WWS833800UK
S84-ex 305dpi TT LH RFID, UHF W/POWER CABLE (UK)	6.115,00 €	WWS843800UK
S84-ex 609dpi TT LH RFID, UHF W/POWER CABLE (UK)	7.325,00 €	WWS853800UK

S84-ex UK RH RFID

S84-ex 203dpi TT RH RFID, UHF W/POWER CABLE (UK)	5.940,00 €	WWS833900UK
S84-ex 305dpi TT RH RFID, UHF W/POWER CABLE (UK)	6.115,00 €	WWS843900UK
S84-ex 609dpi TT RH RFID, UHF W/POWER CABLE (UK)	7.325,00 €	WWS853900UK

S86-ex Thermal Transfer UK



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	up to 356 mm/s (14")
Print Width	167,5 mm (6,59")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM, 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 417 mm
Weight	15,1 kg (TT model), 13,6 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Multi Interface	External 25 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	-----------------	-------------------------------

PRODUCT


LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

UK power cable

S86-ex TT LH 203 dpi	4.745,00 €	WWS860800UK	•	•	•	•
S86-ex TT RH 203 dpi	4.745,00 €	WWS860900UK	•	•	•	•
S86-ex TT LH 305 dpi	5.095,00 €	WWS870800UK	•	•	•	•
S86-ex TT RH 305 dpi	5.095,00 €	WWS870900UK	•	•	•	•



DELIVERY CONTENT

Quick Guide
UK power cable

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S86-ex Direct Thermal UK



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	up to 356 mm/s (14")
Print Width	167,5 mm (6,59")
Print Length	up to 2.500 mm (98,43")
Memory	48 MB Flash ROM, 64 MB SDRAM
Controls	Multifunctional buttons, large LCD display
Cabinet	Metal
Interfaces (Standard)	Ext. Connector 25 pin I/O, RS-232C, IEEE1284, USB, LAN, USB host, SD card
EXT Interfaces (Optional)	Wireless LAN, BlueTooth
Emulations	SZPL - SDPL
Dimensions (H x W x D)	300 mm x 245 mm x 417 mm
Weight	15,1 kg (TT model), 13,6 kg (DT model)



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Multi Interface	External 25 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	-----------------	-------------------------------

PRODUCT


LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

UK power cable

S86-ex DT LH 203 dpi	4.445,00 €	WWS861800UK	•	•	•	•
S86-ex DT RH 203 dpi	4.445,00 €	WWS861900UK	•	•	•	•
S86-ex DT LH 305 dpi	4.795,00 €	WWS871800UK	•	•	•	•
S86-ex DT RH 305 dpi	4.795,00 €	WWS871900UK	•	•	•	•



DELIVERY CONTENT

Quick Guide
UK power cable

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



S8X-ex ACCESSORIES



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

S8X-ex Bluetooth Option

250,00 €

WWS845070

S8X-ex WLAN Option

500,00 €

WWS845080

Printers can be delivered with installed options. Please contact your local SATO office for more information.

S8X-ex SERVICE KIT



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
S84-ex STD SERVICE KIT FOR TT & DT (LH)	205,00 €	Y99133010022
S84-ex STD SERVICE KIT FOR TT & DT (RH)	205,00 €	Y99133010023
S84-ex FULL SERVICE KIT FOR DT (LH)	490,00 €	Y99133010024
S84-ex FULL SERVICE KIT FOR DT (RH)	490,00 €	Y99133010025
S84-ex FULL SERVICE KIT FOR TT (LH)	630,00 €	Y99133010026
S84-ex FULL SERVICE KIT FOR TT (RH)	630,00 €	Y99133010027
S86-ex STD SERVICE KIT FOR TT & DT (LH)	250,00 €	Y99133010028
S86-ex STD SERVICE KIT FOR TT & DT (RH)	250,00 €	Y99133010029
S86-ex FULL SERVICE KIT FOR DT (LH)	535,00 €	Y99133010030
S86-ex FULL SERVICE KIT FOR DT (RH)	535,00 €	Y99133010031
S86-ex FULL SERVICE KIT FOR TT (LH)	675,00 €	Y99133010032
S86-ex FULL SERVICE KIT FOR TT (RH)	675,00 €	Y99133010033



LT408



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2")
Memory	16 MB SDRAM; 4 MB Flash
Controls	Multi-functional buttons, large LCD display
Cabinet	Metal
Interfaces	Interfaces RS-232C (25 Pin), IEEE1284, USB, LAN, WLAN, RS-422/485, Centronics
Dimensions (H x W x D)	270 mm x 330 mm x 271 mm
Weight	9,7 kg



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	-------------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

LT408 Left
with 14 pin I/O Interface

2.150,00 €

WLT408872

•

•

•

LT408 Right
with 14 pin I/O Interface

2.150,00 €


WLT408972

•

•

•

Interface board needs to be ordered separately;
not included in listprice.



DELIVERY CONTENT

Quick Guide
Euro Power Plug

Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6





LT408 PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
---------------------	------------	-----------------------------------

Linerless Kit	On request	
LT Real Time Clock	90,00 €	CV617431A

Interfaces


RS232C Interface for enhanced	100,00 €	WWCL45032
Centronics Interface for enhanced	100,00 €	RJ1772001
IEEE 1284 Parallel Interface for enhanced	100,00 €	WWCL45060
RS422/485 Interface for enhanced	190,00 €	RJ1772500
USB Interface for enhanced	120,00 €	WWCL45020
LAN Interface for enhanced	455,00 €	WWGT45040
Wireless LAN Interface for enhanced	630,00 €	WWCL45082
External Signal Interface (I/O) 25 PIN, SubD (option)	83,85 €	WLT405880



M84...Se

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	300 mm (11,8")
Print Width	128 mm (5")
Print Length	1249 mm (49,2")
Memory	16 MB SDRAM; 2 MB Flash
Controls	
Cabinet	Metal
Interfaces	Parallel (IEEE 1284), RS232C Seriell, RS232C Highspeed, LAN, WLAN, USB
Dimensions (H x W x D)	302 mm x 265 mm x 417 mm
Weight	11,5 kg



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Thermal Transfer	Print Width 112 mm	Print Width 128 mm	Print Width 152 mm	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	------------------	--------------------	--------------------	--------------------	-------------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

M8459Se Left 203 dpi (only DT)	3.479,00 €	WW8450802	•		•		•		•
M8460Se Left 203 dpi	5.274,00 €	WW8460802	•		•		•		•
M8460Se Right 203 dpi	5.274,00 €	WW8460902		•	•		•		•
M8465Se LH 305 dpi	5.774,00 €	WW8461802	•		•	•		•	•
M8465Se RH 305 dpi	5.774,00 €	WW8461902		•	•	•		•	•
M8485Se Left 203 dpi	3.995,00 €	WW8480802	•		•	•		•	•
M8485Se Right 203 dpi	3.995,00 €	WW8480902		•	•	•		•	•
M8490Se Left 305 dpi	4.601,00 €	WW8490802	•		•	•	•		•
M8490Se Right 305 dpi	4.601,00 €	WW8490902		•	•	•	•		•

Interface board needs to be ordered separately;
not included in listprice.


Note: For manuals, drivers and software, please go to
<http://resources.satoeurope.com>

Version 4.6





M84...Se PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
---------------------	------------	-----------------------------------

Interfaces

RS232C Interface for Enhanced	100,00 €	WWCL45032
-------------------------------	----------	-----------

Centronics Interface for enhanced	100,00 €	RJ1772001
-----------------------------------	----------	-----------

IEEE 1284 Parallel Interface for enhanced	100,00 €	WWCL45060
---	----------	-----------

RS422/485 Interface for enhanced	190,00 €	RJ1772500
----------------------------------	----------	-----------

USB Interface for enhanced	120,00 €	WWCL45020
----------------------------	----------	-----------

LAN Interface for enhanced	455,00 €	WWGT45040
----------------------------	----------	-----------

Wireless Mini LAN for enhanced	630,00 €	WWCL45082
--------------------------------	----------	-----------

Memory Extensions

PCB for PCMCIA Memory Card for enhanced	220,00 €	RJ4770100
---	----------	-----------

PCMCIA SRAM, battery powered; 1 MB 16 bit	121,00 €	Y98133080001
---	----------	--------------


PCMCIA SRAM, battery powered; 2 MB 16 bit	255,00 €	Y98133080002
---	----------	--------------

PCMCIA Memcard SRAM 4 MB with attribute	335,00 €	Y98133080007
---	----------	--------------

Internal Flash Memory 6 MB 2 MB Printer Firmware + 4 MB User Memory	195,00 €	R11304000
--	----------	-----------



M84...Se SERVICE KITS




PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Full Service Kit for M8485Se (LH)	645,00 €	Y99133010001
Full Service Kit for M8485Se (RH)	679,00 €	Y99133010002
Standard Service Kit for M8485Se (LH/RH)	449,00 €	Y99133010003
Full Service Kit for M8490Se (LH)	755,00 €	Y99133010004
Full Service Kit for M8490Se (RH)	788,00 €	Y99133010005
Standard Service Kit for M8490Se (LH/RH)	493,00 €	Y99133010006
Full Service Kit for M8460Se (LH)	619,00 €	Y99133010007
Full Service Kit for M8460Se (RH)	653,00 €	Y99133010008
Standard Service Kit for M8460Se (LH/RH)	423,00 €	Y99133010009
Full Service Kit for M8465Se (LH)	728,00 €	Y99133010010
Full Service Kit for M8465Se (RH)	762,00 €	Y99133010011
Standard Service Kit for M8465Se (LH/RH)	467,00 €	Y99133010012
Standard Service Kit for M8459Se (LH)	389,00 €	Y99133010013

Service Kits are part of our Spare Parts

Version 4.6





M84...Se >UHF<

Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 300 mm (11,8")
Print Width	112 mm / 128 mm / 152 mm (4,4" / 5" / 5,9")
Print Length	1249 mm (49,2")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces (optional)	1 Slot: RS-232C, USB, IEEE1284, LAN, WLAN
Interface (fix)	14 pin Ext Signal
Dimensions (H x W x D)	302 mm x 265 mm x 417 mm
Weight	11,5 kg

RFID SPECIFICATIONS

Protocols:	Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19
RFID Features:	- Fully integrated UHF RFID Reader/Encoder Module - RFID calibration function for optimal transponder performance - void marking of damaged or unreadable Transponders - RFID data verification after programming - Multiple RFID power settings allow users to use individual Transponder sizes - XML-enabled printing - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm - PWP function allows flexible Inlay positions - TID reading and printing as text and Barcode
Gen2 Memory:	Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Print Width 112 mm	Print Width 128 mm	Print Width 152 mm	Standard E-field	DIP H-field
----------------------	-----------------------	--------------------	--------------------	--------------------	--------------------	--------------------	------------------	-------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

M8485Se RH UHF (RFID) w/o Interface	6.400,00 €	Y54169222876		•	•		•	•	
M8485Se LH UHF (RFID) w/o Interface	6.400,00 €	Y54169223434	•		•		•	•	
M8485Se LH UHF DIP (RFID) w/o Interface	6.790,00 €	Y54169225625	•		•		•		•
M8460Se RH UHF (RFID) w/o Interface	7.700,00 €	WW846C922		•	•		•	•	
M8460SE LH UHF (RFID) w/o Interface	7.700,00 €	WW846C912	•		•		•	•	
M8490SE RH UHF (RFID) w/o Interface	6.950,00 €	on request		•		•	•	•	
M8490SE LH UHF (RFID) w/o Interface	6.950,00 €	on request	•		•	•		•	

Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6





S84xx LH/RH STANDARD



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	16 MB SDRAM; 4 MB Flash Memory Module internal
Controls	Multi-functional buttons, large LCD display
Cabinet	Metal
Interfaces	Standard: Ext. Connector 14 Pin I/O Optional: RS-232C (25 Pin), IEEE1284, USB, LAN, Wireless LAN (802.11b), RS-422/485, Centronics
Dimensions (H x W x D)	300 x 245 x 408 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

Picture shows S84xx with cassette.

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Ribbon Cassete (preinstalled)	Ribbon Saver (preinstalled)	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	--------------------	-------------------------------	-----------------------------	-------------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS


S8408 LH Standard (203 dpi)	3.950,00 €	WS8406802	•	•			•
S8408 RH Standard (203 dpi)	3.950,00 €	WS8406902		•	•		•
S8412 LH Standard (305 dpi)	4.380,00 €	WS8416802	•		•		•
S8412 RH Standard (305 dpi)	4.380,00 €	WS8416902		•	•		•
S8424 LH Standard (609 dpi)	5.330,00 €	WS8426802	•		•		•
S8424 RH Standard (609 dpi)	5.330,00 €	WS8426902		•	•		•

Interface board NOT Included in the List Price (needs to be ordered separately)
Two types available: 1. Standard I/F Slot; 2. Mini I/F Slot

To be continued on the next page.

DELIVERY CONTENT

Quick Guide
Euro Power Plug




Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6





S84xx LH/RH WITH RIBBON CASSETTE



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	upt to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	16 MB SDRAM; 4 MB Flash Memory Module internal
Controls	Multi-functional buttons, large LCD display
Cabinet	Metal
Interfaces	Standard: Ext. Connector 14 Pin I/O Optional: RS-232C (25 Pin), IEEE1284, USB, LAN, Wireless LAN (802.11b), RS-422/485, Centronics
Dimensions (H x W x D)	300 x 245 x 408 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

Picture shows S84xx with cassette.

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Ribbon Cassette (preinstalled)	Ribbon Saver (preinstalled)	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	--------------------	--------------------------------	-----------------------------	-------------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS


S8408 LH with Cassette (203 dpi)	4.380,00 €	WS8408802	•	•	•	•	•
S8408 RH with Cassette (203 dpi)	4.380,00 €	WS8408902	•	•	•	•	•
S8412 LH with Cassette (305 dpi)	4.760,00 €	WS8412802	•	•	•	•	•
S8412 RH with Cassette (305 dpi)	4.760,00 €	WS8412902	•	•	•	•	•
S8424 LH with Cassette (609 dpi)	5.890,00 €	WS8424802	•	•	•	•	•
S8424 RH with Cassette (609 dpi)	5.890,00 €	WS8424902	•	•	•	•	•

Interface board NOT Included in the List Price (needs to be ordered separately)
Two types available: 1. Standard I/F Slot; 2. Mini I/F Slot

To be continued on the next page.

DELIVERY CONTENT

Quick Guide
Euro Power Plug



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6





S84xx LH/RH WITH RIBBON SAVER



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	upt to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	16 MB SDRAM; 4 MB Flash Memory Module internal
Controls	Multi-functional buttons, large LCD display
Cabinet	Metal
Interfaces	Standard: Ext. Connector 14 Pin I/O Optional: RS-232C (25 Pin), IEEE1284, USB, LAN, Wireless LAN (802.11b), RS-422/485, Centronics
Dimensions (H x W x D)	300 x 245 x 408 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

Picture shows S84xx with cassette.

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Ribbon Cassete (preinstalled)	Ribbon Saver (preinstalled)	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	--------------------	-------------------------------	-----------------------------	-------------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS


S8408 LH with Ribbon Saver (203 dpi)	4.760,00 €	WS8403802	•		•			•	•
S8408 RH with Ribbon Saver (203 dpi)	4.760,00 €	WS8403902		•	•			•	•
S8412 LH with Ribbon Saver (305 dpi)	5.140,00 €	WS8413802	•			•		•	•
S8412 RH with Ribbon Saver (305 dpi)	5.140,00 €	WS8413902		•		•		•	•
S8424 LH with Ribbon Saver (609 dpi)	6.290,00 €	WS8423802	•			•		•	•
S8424 RH with Ribbon Saver (609 dpi)	6.290,00 €	WS8423902		•		•		•	•

Interface board NOT Included in the List Price (needs to be ordered separately)
Two types available: 1. Standard I/F Slot; 2. Mini I/F Slot

To be continued on the next page.

DELIVERY CONTENT

Quick Guide
Euro Power Plug



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6





S84xx LH/RH WITH RIBBON SAVER & CASSETTE



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	upt to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	16 MB SDRAM; 4 MB Flash Memory Module internal
Controls	Multi-functional buttons, large LCD display
Cabinet	Metal
Interfaces	Standard: Ext. Connector 14 Pin I/O Optional: RS-232C (25 Pin), IEEE1284, USB, LAN, Wireless LAN (802.11b), RS-422/485, Centronics
Dimensions (H x W x D)	300 x 245 x 408 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

Picture shows S84xx with cassette.

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Ribbon Cassette (preinstalled)	Ribbon Saver (preinstalled)	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	--------------------	--------------------------------	-----------------------------	-------------------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE


STANDARD FEATURES / OPTIONS

S8408 LH with Ribbon Saver + Cassette (203 dpi)	5.140,00 €	WS8401802	•	•	•	•	•
S8408 RH with Ribbon Saver + Cassette (203 dpi)	5.140,00 €	WS8401902	•	•	•	•	•
S8412 LH with Ribbon Saver + Cassette (305 dpi)	5.690,00 €	WS8411802	•	•	•	•	•
S8412 RH with Ribbon Saver + Cassette (305 dpi)	5.690,00 €	WS8411902	•	•	•	•	•
S8424 LH with Ribbon Saver + Cassette (609 dpi)	6.670,00 €	WS8421802	•	•	•	•	•
S8424 RH with Ribbon Saver + Cassette (609 dpi)	6.670,00 €	WS8421902	•	•	•	•	•

Interface board NOT Included in the List Price (needs to be ordered separately)
Two types available: 1. Standard I/F Slot; 2. Mini I/F Slot

DELIVERY CONTENT

Quick Guide
Euro Power Plug



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6





S84xx LH/RH PRINTER OPTIONS



Picture shows S84xx with cassette.

PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
S84 Spare Ribbon Cassette LH (for preloading carbon ribbon)	525,00 €	WS8405800
S84 Spare Ribbon Cassette RH (for preloading carbon ribbon)	525,00 €	WS8405900
LVDS Kit (3m cable to separate operator panel from printer)	246,73 €	WWS845900
Top I-Mark Sensor Kit LH for detecting top side I-marks	135,00 €	WS8405700
Top I-Mark Sensor Kit RH for detecting top side I-marks	135,00 €	WS8405710
Linerless Kit (without cutter)	275,00 €	WWS845500
Interfaces		
RS232C Interface for enhanced	100,00 €	WWCL45032
Centronics Interface for enhanced	100,00 €	RJ1772001
IEEE 1284 Parallel Interface for enhanced	100,00 €	WWCL45060
USB Interface for enhanced	120,00 €	WWCL45020
LAN Interface for enhanced	455,00 €	WWGT45040
Wireless LAN Interface for enhanced	630,00 €	WWCL45082
RS422 / 485 Interface for enhanced	190,00 €	RJ1772500



RFID



S84... >UHF<

Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz


PRINTER SPECIFICATIONS

Resolution	203 / 305 / 609 dpi (8/12/24 dots/mm)
Print Speed	up to 400 / 350 / 150 mm/s
Print Width	104 mm (4,09")
Print Length	up to 2.500 / 1.500 mm (98,43 / 59,06")
Memory	16 MB SDRAM; 4 MB Flash
Controls	Multifunction Display Panel
Cabinet	Metal
Interfaces	1st Slot: RS-232C, USB, IEEE1284, LAN, WLAN 2nd Slot: 14-pin or 25-pin Ext Signal Board
Clock	real time clock
Dimensions (H x W x D)	300 x 245 x 478 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

RFID SPECIFICATIONS

- Protocols: Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19
- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - RFID calibration function for optimal transponder performance
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - Multiple RFID power settings allow users to use individual Transponder sizes
 - XML-enabled printing
 - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm
 - PWP function allows flexible Inlay positions
 - TID reading and printing as text and Barcode

Gen2 Memory: Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock




PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

S8408 RH Standard UHF w/o Interface	5.650,00 €	Y58169229061		•	•		•	
S8408 RH Cassette UHF w/o Interface	6.080,00 €	Y58169229063		•	•		•	
S8408 LH Standard UHF w/o Interface	5.650,00 €	Y58169229060	•		•		•	
S8408 LH Cassette UHF w/o Interface	6.080,00 €	Y58169229062	•		•		•	
S8408 RH Standard UHF DIP w/o Interface	5.920,00 €	on request		•	•		•	
S8408 RH Cassette UHF DIP w/o Interface	6.340,00 €	on request		•	•		•	
S8408 LH Standard UHF DIP w/o Interface	5.920,00 €	on request	•		•		•	
S8408 LH Cassette UHF DIP w/o Interface	6.340,00 €	on request	•		•		•	



Note: For manuals, drivers and software, please go to <http://resources.satoeurope.com>

Version 4.6



www.satoeurope.com



SATO PRICELIST EUROPE



PRINTER & PRINTER OPTIONS

OTHER ACCESSORIES

SOFTWARE

PRINTHEADS / PLATEN ROLLER

..... Interfaces
Memory Extensions
Smart Keyboards
Rewinders
S70 Label Dispenser
Cleaning Kits
DC / DC Converters



Version 4.6




INTERFACES



INTERFACE SPECIFICATION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	LM4xxe	CL4/6xxe; S-Types	GL4xx	M5900Rve	M84 Pro	M10e	TG3xxe	GT4xxe	CT4xx-C	CT4xx-i (Type 1)
RS232C Interface for enhanced	100,00 €	WWCL45032	•	•		•	•	•	•	•		
Centronics Interface for enhanced	100,00 €	RJ1772001	•	•		•	•	•	•	•		
IEEE 1284 Parallel Interface for enhanced	100,00 €	WWCL45060	•	•		•	•	•	•	•		
USB Interface for enhanced	120,00 €	WWCL45020	•	•		•	•	•	•	•		
LAN Interface for enhanced (Standard Slot)	455,00 €	WWGT45040	•	•		•	•	•	•	•		
Wireless LAN Interface for enhanced	630,00 €	WWCL45082	•	•		•	•	•	•	•		
RS422 / 485 Interface for enhanced	190,00 €	RJ1772500	•	•		•	•	•	•	•		
GT LAN Interface	445,00 €	WGT405842								•		
GL LAN Interface	230,00 €	WWGL15040			•							
CT4i IEEE1284	75,00 €	WWCT45060									•	•
CT4i Serial Interface RS232C (9.600 – 57.600 bps)	100,00 €	WWCT45032									•	
CT4i USB Interface	141,00 €	WWCT45020									•	
CT4i Wireless LAN Interface	575,00 €	WWCT45082										•
CT4i Bluetooth Interface	225,00 €	WWCT55070									•	•

Continuing on next page.

MEMORY EXTENSIONS



MEMORY EXTENSIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	LM4xxe	CL4xxe	CL6xxe	M5900Rve/M84xxe	M84 Pro	M10e	XL4xxe	GT4xxe	GL4	HT200e	DR300/M5900RV/CL4
Internal Flash Memory 6 MB 2 MB Printer Firmware + 4 MB User CL / M5900Rve / M8400Rve / M10e	195,00 €	RJ7770300		•	•	•	•						
Internal Flash Memory 6 MB 2 MB Printer Firmware + 4 MB User for M84 Pro	195,00 €	R02165000					•						
Extension Flash Memory for M84xxe Printers	195,00 €	R11304000				•							
Internal Flash Memory 6 MB 2 MB Printer Firmware + 4 MB User M84xxSe series	195,00 €	R11304000							•				
PCB for PCMCIA Memory Card for enhanced Series	220,00 €	RJ4770100	•	•	•	•	•	•	•				
PCMCIA SRAM, battery powered; 1 MB 16 bit	121,00 €	Y98133080001	•	•	•	•	•	•	•				
PCMCIA SRAM, battery powered; 2 MB 16 bit	255,00 €	Y98133080002	•	•	•	•	•	•	•				
Memcard PCMCIA SRAM 1 MB (for HT200e)	160,00 €	Y98133080005	•	•	•	•	•	•	•			•	•
Memcard PCMCIA SRAM 2 MB (for HT200e)	230,00 €	Y98133080006	•	•	•	•	•	•	•			•	•
Memcard PCMCIA SRAM 4 MB with attribute	335,00 €	Y98133080007	•	•	•	•	•	•	•			•	•
GL Memory cartridge	180,00 €	WWGL159KE									•		
GT Memory cartridge	180,00 €	WGT405902								•			

SMART KEYBOARDS



SMART KEYBOARDS SPECIFICATION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Smart Keyboard for Enhanced Series - incl. Smart Keyboard K012Plus - CD for Keyboard - Modified Serial Interface (modification of WWCL45032); 5V on DB25 Pin9 - Smart Keyboard Download Cable Y98133170002 - Serial Adapter 9/25	415,00 €	Y98188010009
Smart Keyboard for CX4xx/CG4 Printers - incl. Smart Keyboard K012Plus - CD for Keyboard - Smart Keyboard Download Cable Y98133170002	365,00 €	Y98188010010
Smart Keyboard K012 plus	340,00 €	Y98133050001
Smart Keyboard Download Cable	21,20 €	Y98133170002
Smart Keyboard Serial Adapter 9-25pin	6,00 €	Y98133050003

REWINDERS



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

RWG 500, max. media width: 131 mm
incl. cable to connect to SATO printers with I/O Interface (Standard on: CL4, CL6; M84Pro; M5900RVE; M10e). Printers without I/O interface (such as GL4) need optional RWG Power Supply K00304000).

640,00 €

WWRW55300

RWG 500 6 inch expansion kit
max. media width 180 mm

70,00 €

WWGT05970

RWG 500 AC Adapter + Power Cord (EX2)

290,00 €

WRWG55012


Rewindable - Rewind the printed label for "on-the-go" applications



- Maximum winding length: 500 m (5-inch tube)
- Maximum outer diameter: 265 mm

- Models**
- M5900RVE
 - M84Pro
 - CL400e Series
 - GL4 Series
 - CL600e Series

REWINDERS



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD REWINDER

AD1211-SO
REWINDER MAX OD ROLL 250 MM, MAX LABEL
WIDTH 127 MM

550,26 €

Y99122100001

AD1221-SO
REWINDER MAX OD ROLL 250 MM, MAX LABEL
WIDTH 174 MM

603,95 €

Y99122100002

AD1221-S1
REWINDER MAX OD ROLL 250 MM, MAX LABEL
WIDTH 174 MM, S1 SUPPORT FOR HEAVY ROLLS

711,32 €

Y99122100003

AD1231-S1
REWINDER MAX OD ROLL 250 MM, MAX LABEL
WIDTH 244 MM, S1 SUPPORT FOR HEAVY ROLLS

797,21 €

Y99122100004

AD2211-SO
REWINDER MAX OD ROLL 300 MM, MAX LABEL
WIDTH 127 MM

577,11 €

Y99122100005

AD2221-S2
REWINDER MAX OD ROLL 300 MM, MAX LABEL
WIDTH 174 MM, S2 SUPPORT FOR HEAVY ROLLS

738,16 €

Y99122100006

AD2231-S2
REWINDER MAX OD ROLL 300 MM, MAX LABEL
WIDTH 244 MM, S2 SUPPORT FOR HEAVY ROLLS

824,05 €

Y99122100007

AD1214-SO
REWINDER MAX OD ROLL 250 MM, MAX LABEL
WIDTH 127 MM, 3" CORE HOLDER

577,11 €

Y99122100008

AD1224-S4
REWINDER MAX OD ROLL 250 MM, MAX LABEL
WIDTH 174 MM, 3" CORE HOLDER

671,05 €

Y99122100009


AD1234-S4
REWINDER MAX OD ROLL 250 MM, MAX LABEL
WIDTH 244 MM, 3" CORE HOLDER

756,95 €

Y99122100010

Continuing on next page.

REWINDERS



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

AD2214-S4
REWINDER MAX OD ROLL 300 MM, MAX LABEL
WIDTH 127 MM, 3" CORE HOLDER

644,21 €

Y99122100011

AD2224-S4
REWINDER MAX OD ROLL 300 MM, MAX LABEL
WIDTH 174 MM, 3" CORE HOLDER

684,47 €

Y99122100012

AD2234-S4
REWINDER MAX OD ROLL 300 MM, MAX LABEL
WIDTH 244 MM, 3" CORE HOLDER


770,37 €

Y99122100013

Type	Version	Roll Diameter	Speed	Label Width	Core Holder	Support
A Rewinder	D Right	1 250 mm	1 120 rpm	1 127 mm	1 40 – 118 mm	S0 Without
	S Left	2 300 mm	2 225 rpm	2 174 mm	2 1" Fixed	S1 Roll Diameter 250mm
				3 244 mm	4 3" Fixed	S2 Roll Diameter 300 mm
						S4 3" Fixed Core Holder

Continuing on next page.

REWINDERS



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

SMALL REWINDER

SRA
SMALL REWINDER WIDTH ADJUSTABLE CORE
46 – 76 MM

520,00 €

Y99122100014

SR1
SMALL REWINDER WITH FIXED CORE 1"

510,00 €

Y99122100015

SR4
SMALL REWINDER WITH FIXED CORE 3"

550,00 €

Y99122100016

STACKERS



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Stacker for M10e;
Stackable size: Width 127 – 297 mm;
Length 67 – 117 mm; Storable quantity: 150 pcs

210,00 €

WWM105600

Stacker for TG3xxe
(Active, first label on top)

650,00 €

WWTG35600

Stacker
Stacks labels and tags after they
are printed and dispensed



STM10e

Simplified stacker

- Stackable size:
W 127-297 mm
P 67-117 mm
- Storable quantity:
150 pieces

Models

- M10e

S70 LABEL DISPENSER



DISPENSER SPECIFICATIONS

Label feed speed	Max. 110 mm/s (size and material etc. of the label varies depending on the usage environment)
Supported label sizes	Label Width: 15 ~ 70 mm (backing paper width 18 ~ 73 mm) Label Length: 10 ~ 150 mm, Core ID: min. 25 mm Label Roller Outer Diameter: max 120 mm
Energy saving function	Auto power off (power off for every 5 minutes of non-operation)
Protection function	Auto stop when detecting label Auto stop when detecting low battery
Optional accessories	Battery pack, battery charger, sync connector
Power supply	AC Adapter
Dimensions (H x W x D)	170 mm x 260 mm x 170 mm
Weight	15,5 kg (without battery)

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
S70 Standard AC Adapter included	375,00 €	WW0070002
Multi Link cable (allows 3 S70 to dispense simultaneously)	125,00 €	W00075900

DELIVERY CONTENT

S70 Dispenser
AC Adapter

CLEANING KITS



CONTENT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Standard Cleaning Kit, consisting of
Printer Spray / Printhead Cleaner, 200 ml, engl.
Label & Adhesive Remover Kleb-Ex, 200 ml, engl.
Electr. Cleaning Tissue, 16 x 16 cm (25 pcs)
Cleaning Swabs (25 pcs)
Bag, transparent/blue, with SATO Logo
Cleaning Instruction

46,95 €

Y54199224591
(deutsche Version:
Y54198402386)



Full Cleaning Kit, consisting of
Printer Spray / Printhead Cleaner, 200 ml, engl.
Label & Adhesive Remover Kleb-Ex, 200 ml, engl.
Electr. Cleaning Tissue, 16 x 16 cm (25 pcs)
Cleaning Swabs (25 pcs)
Bag, transparent/blue, with SATO Logo
Cleaning Wipes (25 pcs)
Lapping Sheet
Air Duster, 200 ml
Cleaning Instruction

85,95 €

Y98188010014



Printer Spray/Printhead Cleaner,
200 ml, engl.

10,95 €

Y54199224592
(deutsche Version: Y54199210531)

Label & Adhesive Remover Kleb-Ex,
200 ml, engl.

10,95 €

Y54199224593
(deutsche Version: Y54199210533)

Electr. Cleaning Tissue, 16 x 16 cm (25 pcs)

13,95 €

Y54199210537



Cleaning Swabs (25 pcs)

12,95 €

Y54199210541



Cleaning Wipes (25 pieces)

7,95 €

Y98133260001



Lapping Sheet (incl. Introduction & Procedure)

10,95 €

Q00029000

Lapping Sheet (excl. Introduction & Procedure)

8,95 €

Y98133180001

Air Duster, 200 ml (non flammable)

19,95 €

Y98133300001



SATO PRICELIST EUROPE




PRINTER & PRINTER OPTIONS

OTHER ACCESSORIES

SOFTWARE NiceLabel **NEW**

PRINTHEADS / PLATEN ROLLER



NICELABEL UPGRADE CAMPAIGN FOR LG CUSTOMERS

SATO decided to stop the Label Gallery range and move on to the next level by adding the NiceLabel products to our product range. SATO will end the sales of Label Gallery on 31st of March 2015. In order to keep your printing applications up to date, SATO would like to encourage customers to switch their Label Gallery installations to the fully compatible NiceLabel platform.

Free Upgrade

Customers who purchased Label Gallery 3.x after 1st of July 2014 can apply for a free upgrade to NiceLabel.

Upgrade Campaign*

Customers who purchased Label Gallery 3.x before 1st of July 2014 can apply for a NiceLabel upgrade at a very attractive price until 31st of June 2015. Please refer to the following page for Upgrade prices.

*To apply for a NiceLabel upgrade for your Label Gallery 3.x installation, please contact your local SATO GMC for more details.

VERSION MATCHING TABLE

Label Gallery Product	NiceLabel Equivalent
Label Gallery Easy	NiceLabel Designer Standard
Label Gallery Plus	NiceLabel Designer Pro
Label Gallery Plus Print Only	NiceLabel Print Only
Label Gallery TruePro	NiceLabel Desktop Suite (PowerForms Desktop + Automation Easy 5 printers)
Label Gallery TruePro Print Only	NiceLabel PowerForms Runtime (PowerForms Runtime + Automation Easy 5 printers)
Label Gallery TruePro Network 5 Users	NiceLabel Desktop Suite 5 Users (PowerForms Desktop 5 Users + Automation Easy Unlimited)

UPGRADE CAMPAIGN

NEW



UPGRADE CAMPAIGN FOR LG CUSTOMERS

PRODUCT NAME	LIST PRICE	SATO PART NUMBER e-DLP
NiceLabel Designer Standard Upgrade from: Label Gallery 3 Easy	145,00 €	WNUDSD1UD
NiceLabel Designer Pro Upgrade from: Label Gallery 3 Plus	235,00 €	WNUDPD1UD
NiceLabel Print-Only Upgrade from: Label Gallery 3 Plus Print Only	125,00 €	WNUPRD1UD
NiceLabel Desktop Suite Upgrade from: Label Gallery 3 TruePro	495,00 €	WNUDTD1UD
NiceLabel PowerForms Runtime (1 user) Upgrade from: Label Gallery 3 TruePro Print Only	195,00 €	WNUPFD1UD
NiceLabel Desktop Suite 5 users Upgrade from: Label Gallery 3 TruePro Network 5 users	995,00 €	WNUDTD5UD
NiceLabel PowerForms + Automation Pro 5 printers Upgrade from: Label Gallery 3 TruePro	1.395,00 €	WNPFAD5UD
NiceLabel PowerForms + Automation Pro Unlimited Upgrade from: Label Gallery 3 TruePro	2.395,00 €	WNPFADUUD
NiceLabel PowerForms Desktop 5 user + Automation Pro 5 printers Upgrade from: Label Gallery 3 TruePro Network 5 Users	1.795,00 €	WNPFAN5UD
NiceLabel PowerForms Desktop 5 user + Automation Pro Unlimited Upgrade from: Label Gallery 3 TruePro Network 5 Users	2.795,00 €	WNPFANUUD

NiceLabel Features

NEW



DESKTOP PRODUCTS

Designer Express – Basic labeling for small business.
Excel only

Designer Standard – Industrial labeling made easy.
ODBC and NicePrint

Designer Pro – Professional labeling for industry

PowerForms Desktop – Designer Pro and print application builder.
Multiple database connections and SQL queries

Desktop Suite – NiceLabel Desktop Suite includes all of the most powerful labeling tools you will ever need. Designer Pro, NiceForm and Automation Easy are bundled together to deliver best value for money.

PowerForms – PowerForms Desktop allows you to design barcode labels and create error-free printing applications. It allows you to easily adapt the printing interface to your business and user needs. Only purpose-built solutions minimize manual data entry, eliminate human error and increase efficiency.

Automation Easy – Easily automate and control label printing from existing systems

NiceLabel

NEW



DESKTOP PRODUCTS

PRODUCT NAME	LIST PRICE	SATO PART NUMBER	
		DLP	e-DLP
Designer Pro	595,00 €	WNDPRD1LP	WNDPRD1LD
Designer Standard	395,00 €	WNDSTD1LP	WNDSTD1LD
Designer Express	245,00 €	WNDEXD1LP	WNDEXD1LD
Print-Only	295,00 €	WNPRND1LP	WNPRND1LD
NiceLabel Desktop Suite	1.295,00 €	WNSUD1LP	WNSUD1LD
NiceLabel Desktop Suite 5 users	2.795,00 €	WNSUD5LP	WNSUD5LD
NiceLabel Desktop Suite 10 users	3.795,00 €	WNSUDTLP	WNSUDTLD
NiceLabel Desktop Suite 20 users	5.795,00 €	WNSUDWLP	WNSUDWLD
NiceLabel Desktop Suite 50 users	10.795,00 €	WNSUDFLP	WNSUDFLD
NiceLabel Desktop Suite 5 User License Pack	1.995,00 €	WNSLD5LP	WNSLD5LD
NiceLabel Desktop Suite 10 User License Pack	2.995,00 €	WNSLDTLP	WNSLDTLD
NiceLabel Desktop Suite 20 User License Pack	4.995,00 €	WNSLDWLP	WNSLDWLD
NiceLabel Desktop Suite 50 User License Pack	9.995,00 €	WNSLDFLP	WNSLDFLD

Continuing on next page.

NiceLabel

NEW



DESKTOP PRODUCTS

PRODUCT NAME	LIST PRICE	SATO PART NUMBER	
		DLP	e-DLP
PowerForms Desktop (1 user)	995,00 €	WNPFD1LP	WNPFD1LD
PowerForms Desktop 5 user	1.995,00 €	WNPFD5LP	WNPFD5LD
PowerForms Desktop 10 user	2.995,00 €	WNPFD10LP	WNPFD10LD
PowerForms Desktop 20 user	4.995,00 €	WNPFD20LP	WNPFD20LD
PowerForms Desktop 50 user	9.995,00 €	WNPFD50LP	WNPFD50LD
PowerForms Desktop 5 user add-on pack	1.495,00 €	WNPFD5AP	WNPFD5AD
PowerForms Desktop 10 user add-on pack	2.495,00 €	WNPFD10AP	WNPFD10AD
PowerForms Desktop 20 user add-on pack	4.495,00 €	WNPFD20AP	WNPFD20AD
PowerForms Desktop 50 user add-on pack	9.495,00 €	WNPFD50AP	WNPFD50AD
PowerForms Runtime (1 user)	495,00 €	WNPFR1LP	WNPFR1LD
Automation Easy 5 Printers + Designer Pro	995,00 €	WNAED5LP	WNAED5LD
Automation Easy Unlimited + Designer Pro	1.795,00 €	WNAED1LP	WNAED1LD
Automation Easy 5 printers (No designer included)	595,00 €	WNAEND5LP	WNAEND5LD
Automation Easy Unlimited (No designer included)	1.395,00 €	WNAENDLP	WNAENDLD

SATO PRICELIST EUROPE



PRINTER & PRINTER OPTIONS

OTHER ACCESSORIES

SOFTWARE

PRINTHEADS / PLATEN ROLLER

..... Printheads
Platen Roller



Version 4.6



PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
CG208DT	Printhead for CG208DT (8)	110,00 €	R13869000
CG208TT	Printhead for CG208TT (8)	110,00 €	R13864000
CG212DT	Printhead for CG212DT (12)	125,00 €	R13870000
CG212TT	Printhead for CG212TT (12)	125,00 €	R13865000
CG408TT	Printhead for CG408TT (8)	145,00 €	R14464020
CG408DT	Printhead for CG408DT (8)	145,00 €	R14481011
CG412TT	Printhead for CG412TT (12)	160,00 €	R14465020
CG412DT	Printhead for CG412DT (12)	160,00 €	R14482011
CL408	Printhead for CL408 (8)	450,00 €	GH000741A
CL412	Printhead for CL412 (12)	795,00 €	GH000831A
CL408e	Printhead for CL408e (8)	450,00 €	GH000741A
CL412e	Printhead for CL412e, XL410e (12)	540,00 €	GH000771A
CL608e	Printhead for CL608e, M8460Se (8)	600,00 €	GH000661A
CL612e	Printhead for CL612e (12)	940,00 €	GH000671A

Continuing on next page.



PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
CL4NX 203dpi	Printhead for CL4NX 203dpi	450,00 €	R29797000
CL4NX 305dpi	Printhead for CL4NX 305dpi	540,00 €	R29798000
CL4NX 609dpi	Printhead for CL4NX 609dpi	1.200,00 €	R29799000
CL6NX 203dpi	Printhead for CL6NX 203dpi	490,00 €	R32169600
CL6NX 305dpi	Printhead for CL6NX 305dpi	690,00 €	R32169900
CT400, CT400-2	Printhead for CT400 ,CT400-2 (8)	280,00 €	RC0A20302
CT410, CT410-2	Printhead for CT410, CT410-2 (12)	420,00 €	RC0A20402
CT408iDT	Printhead for CT408iDT (8)	195,00 €	R04733001
CT408iTT	Printhead for CT408iTT (8)	195,00 €	R10168000
CT412iDT	Printhead for CT412iDT (12)	305,00 €	R08329100
CT412iTT	Printhead for CT412iTT (12)	305,00 €	R10169000
CT424iDT	Printhead for CT424iDT (24)	995,00 €	R12108000
CT424iTT	Printhead for CT424iTT (24)	995,00 €	R10170000
DR308e	Printhead for DR308e (8)	170,00 €	G00263000
GL408e	Printhead for GL408e (8)	345,00 €	R10100000
GL412e	Printhead for GL412e (12)	415,00 €	R10101000

Continuing on next page.

Version 4.6



PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
GT408e	Printhead for GT408e (8)	375,00 €	WWGT05810
GT412e	Printhead for GT412e (12)	455,00 €	WWGT05820
GT424e	Printhead for GT424e (24)	895,00 €	WWGT05830
GZ408e	Printhead for GZ408e (8)	450,00 €	GH000741A
GZ412e	Printhead for GZ412e (12)	540,00 €	GH000771A
HT200e	Printhead for HT200e (8)	185,00 €	G00011000
LM408e	Printhead for LM408e (8) before s/n: 7G03xxxx	450,00 €	GH000741A
LM412e	Printhead for LM412e (12) before s/n: 7G03xxxx	360,00 €	R11375000
LM408e-2	Printhead for LM408e-2 (8) after s/n: 7H03xxxx	325,00 €	R11375100
LM412e-2	Printhead for LM412e-2 (12) after s/n: 7H03xxxx	360,00 €	R11375000
Lt408	Printhead for Lt408 (8)	275,00 €	R07333000
M10e	Printhead for M10e (12)	1.285,00 €	PR7A60101
M5900Rve	Printhead for M5900Rve (8)	425,00 €	P00273000
M8459Se	Printhead for M8459Se (8)	440,00 €	GH000801A

Continuing on next page.



PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
M8400Rve	Printhead for M8400Rve, M8400RV (8)	625,00 €	GH000811A
M8460Se	Printhead for CL608e, M8460Se (8)	600,00 €	GH000661A
M8465Se	Printhead for M8465Se (12)	825,00 €	G00258000
M8485Se	Printhead for M8485Se (8)	560,00 €	GH000781A
M8490Se	Printhead for M8490Se, M8490S (12)	795,00 €	GH000831A
M84Pro-2	Printhead for M84Pro (8)	425,00 €	WWM845800
M84Pro-3	Printhead for M84Pro (12)	515,00 €	WWM845810
M84Pro-6	Printhead for M84Pro (24)	920,00 €	WWM845820
MB201i	Printhead for MB201i (8)	65,00 €	R05606000
MB200i	Printhead for MB200i (8)	70,00 €	R06530000
MB400i	Printhead for MB400i (8)	68,00 €	R09304000
MB410i	Printhead for MB410i (12)	85,00 €	R09305000

Continuing on next page.

PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
S8408	Printhead for S8408 (8)	295,00 €	R08081010
S8412	Printhead for S8412 (12)	435,00 €	R08082010
S8424	Printhead for S8424 (24)	1.230,00 €	R08083020
S84-ex	Printhead for S84-ex 203 dpi (8)	295,00 €	R29219000
S84-ex	Printhead for S84-ex 305 dpi (12)	435,00 €	R29225000
S84-ex	Printhead for S84-ex 609 dpi (24)	1.200,00 €	R29226000
S86-ex	Printhead for S86-ex 203 dpi (8)	560,00 €	R20747001
S86-ex	Printhead for S86-ex 305 dpi (12)	700,00 €	R21515001
TG308	Printhead for TG308e (8)	340,00 €	R14222000
TG312	Printhead for TG312e (12)	380,00 €	R14223000
TH208	Printhead for TH208 (8)	110,00 €	R14565030
XL400e	Printhead for XL400e (8) After S/N 310~	350,00 €	G00012000
XL410e	Printhead for XL410/XL410e (12) Before S/N 301~	835,00 €	R00183000
XL410e	Printhead for CL412e XL410e (12) After S/N 302~	540,00 €	GH000771A

PLATEN ROLLERS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
CG2XX	Platen Roller CG2XX TT/DT	39,00 €	R13862000
CG4XX	Platen Roller CG4XX TT/DT	42,00 €	R14471010
CL408e	Platen Roller for CL408e from S/N: 307A~	42,00 €	R03064000
CL408e	Platen Roller Sub (Without a play) CL408e before S/N: 306M~ and 2nd digit is not letter	42,00 €	R07162000
CL412e	Platen Roller for CL412e from S/N: 307A~ and 2nd digit is not letter	42,00 €	R03065000
CL412e	Platen Roller for CL412e before S/N: 306M~	42,00 €	R07163000
CL4NX	Platen Roller for CL4NX	42,00 €	R29792000
CL6NX	Platen Roller for CL6NX	62,00 €	R32174100
CL608e	Platen Roller for CL608e	62,00 €	PR7720100
CL612e	Platen Roller for CL612e, CL612	62,00 €	PR7720500
CL6XXe	Feed Roller for CL612e	48,00 €	PR7720600
CT4XX CT4XX-2	Platen Roller (with gear) for CT4XX, CT4XX-2	44,00 €	RC1A20004
CT4XX CT4XX-2	Platen Roller for CT4XX, CT4XX-2	25,00 €	PR0A20102
CT4XXi-TT/DT	Platen Roller for CT4XX TT/DT	30,00 €	R04726001
DR308e	Platen Roller for DR308e	65,00 €	R11771000

Continuing on next page.

Version 4.6



PLATEN ROLLERS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
GL4XXe	Platen Roller for GL4XXe	42,00 €	R10085000
GT4XXe	Platen Roller for GT4XXe (With Gear)	45,00 €	R04703000
GT4XXe	Platen Roller for GT4xxe (Without Gear)	36,00 €	P11154000
GZ408e	Platen Roller for GZ408e	42,00 €	R03064000
GZ412e	Platen Roller for GZ412e	42,00 €	R03065000
LM408e LM408e-2	Platen Roller for CL408e, LM408e, LM408e-2 from S/N: 307A~	42,00 €	R03064000
LM412e LM412e-2	Platen Roller for CL412e, LM412e, LM412e-2 from S/N: 307A~	42,00 €	R03065000
Lt408	Platen Roller for Lt408	32,00 €	R07323010
Lt408	Feed Roller for Lt408	52,00 €	R07324001
M10e	Platen Roller for M10e	90,00 €	RC1A60100
M10e	Feed Roller for M10e	80,00 €	RC1A60301
M5900RVe	Platen Roller for M5900RVe	45,00 €	PR1520300
M84Pro-X	Platen Roller M84Pro from S/N: 411~	42,00 €	R00907003
M84Pro-X	Platen Roller Sub M84Pro before S/N: 410~ and 2nd digit is not letter	38,00 €	R00907001

Continuing on next page.



PLATEN ROLLERS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
M84Pro-X	Feed Roller for M84Pro from S/N: 411~	49,00 €	R00908001
M84Pro	Feed Roller for M84Pro before S/N: 410~ and 2nd digit is not letter	49,00 €	R00908000
M8400RV/e	Platen Roller for M8400RVe/M8400RV	67,76 €	PR7740102
M8460Se M8465Se	Platen Roller for M8460Se M8465Se	44,00 €	R00045000
M8485Se M8459Se M8459Se	Platen Roller for M8485Se M8459Se M8459Se	59,00 €	PR0730100
MB200	Platen Roller for MB200	18,00 €	PR0A30203
MB400	Platen Roller for MB400	30,00 €	PR7A50101
MB2xxi	Platen Roller for MB20Xi	45,00 €	R05607001
MB4xxi	Platen Roller for MB4X0i	60,00 €	R09313000
S8408	Platen Roller for S84XX	34,00 €	R07586020
MB4xxi	Platen Roller for MB4X0i	60,00 €	R09313000
S84xx	Platen Roller for S84XX	34,00 €	R07586020
S84xx	Feed Roller for S84XX	32,00 €	R09121000
S84xx	Pressure Roller for S84xx	21,00 €	R07717020

Continuing on next page.

PLATEN ROLLERS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE SATO PROD. CODE	PROD. CODE ROHS /
S84-ex	Platen Roller for S84-ex	32,00 €	R29177000
S84-ex	Feed Roller for S84-ex	32,00 €	R29175000
S84-ex	Pressure Roller for S84-ex	32,00 €	R29176000
S84-ex	PRESSURE ASSY (LH)	111,32 €	R27602000
S84-ex	PRESSURE ASSY (RH)	111,32 €	R27603000
S86-ex	Platen Roller for S86-ex	36,00 €	R20619000
S86-ex	Feed Roller for S86-ex	36,00 €	R20634000
S86-ex	Pressure Roller for S86-ex	36,00 €	R20628000
S86-ex	PRESSURE BASE SUB (LH)	146,32 €	R20677001
S86-ex	PRESSURE BASE SUB (RH)	146,32 €	R21507001
TG3xx	Platen Roller for TG3xx	32,00 €	P28227000
TG3xx	Feed Roller TG3XX	30,00 €	P28054040
TH208	Platen Roller for TH208	43,00 €	R13531030

Continuing on next page.

PLATEN ROLLERS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE SATO PROD. CODE	PROD. CODE ROHS /
XL400e	Platen Roller for XL400e	45,00 €	PR7760200
XL410e	Platen Roller for XL410e	45,00 €	PR7761600
XL4XXe	Feed Roller for XL4XXe	39,00 €	PR7760600
XL4XXe	Feed Roller for XL4XXe	29,00 €	PR0760100

GENERAL TERMS OF CONDITIONS



SATO PRICE LIST Europe
SATO International Europe
Leonardo Da Vincilaan 19
1831 Diegem
Belgium
<http://www.satoeurope.com>

- a. SATO reserves the right to change pricing at any time without prior notice.
The latest SATO Price List supersedes all previous SATO Price Lists.
- b. Prices are in Euro.
- c. The Standard Terms and Conditions of Sale of the local SATO Office where
Products are purchased apply.

SATO PRESTIGE SERVICE PROGRAM



PRESTIGE SERVICE PROGRAM SERVICE CONTRACT

Name	Service	Response Time
EXTENDED WARRANTY	Return To Base	Within 5 working days
BRONZE	Return To Base	Within 5 working days
SILVER	On-Site Service	Within 5 working days
GOLD	On-Site Service	Within 2 working days
SWAP OUT	Exchange On-Site and Repair	Within 1 working day

Note: All SATO Products are covered by SATO standard warranty

Including

- Travel and Labor costs (BRONZE/SILVER/GOLD)
- All parts, excluding wear parts (for example print heads, platen roller and battery)
- All interfaces (Except LAN/Wireless LAN and Bluetooth Interface board)
- One annual preventative maintenance call (SILVER/GOLD) on customer request
- Cleaning and adjustment
- Free access to SATO technical support by telephone or E-mail
- Free Firmware upgrades (by (written) customer request)
- All printer accessories, i.e., rewind/cutter etc.

Excluding

- Replacement print head
- Replacement platen roller
- Rechargeable batteries
- Software/format amendments

Local service coverage might differ. Please get in contact with you local SATO subsidiary to find out available service concepts and pricing.